

## ESSENTIAL MEDICINES LIST

| S.No.   | Code No. | Name of Drug   | Pack Form                       | Category   |
|---|----------|--|---------------------------------|------------|
| <b>1. ANAESTHETICS</b>  |          |  |                                 |            |
| <b>1.1 General Anaesthetics and Oxygen</b>                          |          |  |                                 |            |
| 1   | 6        | Halothane  | 250 ml Bottle                   | CHC        |
| 2   | 7        | Isoflurane   | 100 ml                          | CHC        |
| 3   | 8        | Ketamine Injection 50 mg/ml  | 10 ml Vial                      | PHC        |
| 4   | 14       | Propofol Injection 10 mg/ml  | 20 ml                           | CHC        |
| 5   | 15       | Thiopentone Injection 0.5 g  | Vial                            | CHC        |
| 6   | 491      | Sevoflurane  | 250 ml                          | DH         |
| 7   | 799      | Liquid Medical Oxygen (LMO)  | kl                              | DH         |
| <b>1.2 Local Anaesthetics</b>                                       |          |  |                                 |            |
| 8   | 9        | Lignocaine Ointment 5%   | 10 gm tube in a Unit Carton     | PHC        |
| 9   | 12       | Lignocaine Gel IP 2%   | 30 gm Tube in Mono Carton       | PHC        |
| 10  | 13       | Lignocaine Injection 2%  | 30 ml Vial                      | PHC        |
| 11  | 10       | Lignocaine and Adrenaline Injection 20mg + 0.01mg  | 30 ml Vial                      | PHC        |
| 12  | 2        | Bupivacaine Hydrochloride in Dextrose Injection 5mg + 80 mg per ml                                     | 4 ml Amp                        | CHC        |
| 13  | 4        | Bupivacaine Injection 0.50%  | 20 ml Vial                      | CHC        |
| <b>.3 Pre-operative Medication</b>                                  |          |  |                                 |            |
| 14  | 654      | Atropine Sulphate Injection 0.6 mg/ml  | 1 ml Amp (25 ampoules)          | PHC        |
| 15  | 313      | Midazolam Injection IP 1 mg/ml   | 5 ml vial                       | CHC        |
| <b>2. ANALGESIC, ANTIPYRETIC &amp; ANTI-INFLAMMATORY DRUGS</b>      |          |  |                                 |            |
| <b>2.1 Opioid Analgesics</b>  |          |  |                                 |            |
| 16  | 25       | Morphine Sulphate Injection IP 10 mg/ml  | 1 ml Amp                        | DH         |
| 17  | 32       | Tramadol capsule 50 mg   | 10 Cap                          | CHC        |
| 18  | 33       | Tramadol Injection 50 mg/ml  | 2 ml Amp                        | CHC        |
| 19  | 30       | Pentazocine Injection 30 mg/ml   | 1 ml Amp                        | CHC        |
| 20  | 21       | Fentanyl Citrate Injection 50 mcg/ml   | 2 ml Amp                        | DH         |
| 21  | 655      | Fentanyl Citrate Injection 50 mcg/ml   | 10 ml Vial                      | CHC        |
| 22  | 656      | Naproxen Tablet IP 500 mg  | 10 x 10 Tab Blister             | CHC        |
| 23  | 657      | Naproxen Tablet IP 250 mg  | 10 x 10 Tab Blister             | CHC        |
| <b>2.2 Non-Steroidal Anti Inflammatory Drugs &amp; Antipyretics</b> |          |  |                                 |            |
| 24  | 679      | Aspirin Tablet IP (Gastro-resistant) 150 mg  | 14 x 10 Tab                     | PHC        |
| 25  | 492      | Aceclofenac and Paracetamol Tablet 100 mg + 325 mg   | 10 Tab                          | PHC        |
| 26  | 493      | Diclofenac Gel: Diclofenac diethylamine , Methyl salicylate , Linseed oil and Menthol 1.16%+10%+3%+ 5% | 20 gm                           | PHC        |
| 27  | 483      | Diclofenac Sodium and Paracetamol Tablet 50 + 325 mg   | 10 Tab                          | PHC        |
| 28  | 19       | Diclofenac Sodium Injection - for IM and IV 25 mg/ml   | 3 ml Amp                        | Sub center |
| 29  | 20       | Diclofenac Sodium Tablet 50 mg   | 10 Tab                          | Sub center |
| 30  | 437      | Diclofenac Tablet (SR) 100 mg  | 10 Tab                          | PHC        |
| 31  | 658      | Etoricoxib Tablet 90 mg  | 10 x 10 Tab                     | CHC        |
| 32  | 495      | Etoricoxib Tablet IP 120 mg  | 10 Tab                          | CHC        |
| 33  | 22       | Ibuprofen and Paracetamol Tablet 400 mg + 325 mg   | 10 Tab                          | PHC        |
| 34  | 23       | Ibuprofen Tablet 200 mg  | 10 Tab                          | PHC        |
| 35  | 24       | Ibuprofen Tablet 400 mg  | 10 Tab                          | PHC        |
| 36  | 477      | Ibuprofen Oral Suspension 100 mg/5ml   | 60 ml                           | PHC        |
| 37  | 436      | Indomethacin Capsule 25 mg   | 10 Tab                          | CHC        |
| 38  | 496      | Mefenamic Acid Tablet 500 mg   | 10 Tab                          | PHC        |
| 39  | 26       | Paracetamol Drops 150 mg/ml  | 15 ml Bottle                    | Sub center |
| 40  | 27       | Paracetamol Syrup IP 125 mg/5ml  | 60 ml Bottle with measuring cap | Sub center |
| 41  | 28       | Paracetamol Tablet 500 mg  | 10 Tab                          | Sub center |
| 42  | 29       | Paracetamol Injection 150 mg/ml  | 2 ml Amp                        | PHC        |
| 43  | 695      | Inj Diclofenac Sodium aqueous 75mg/ml 1ml Size, IV & IM use  | 1 ml amp                        | PHC        |
| 44  | 696      | Paracetamol infusion IP 1% w/v 100ml Size  | 100 ml bottle                   | PHC        |
| 45  | 697      | Tab. Ketorolac 10 mg   | 10 X10                          | CHC        |
| <b>2.3 Muscle Relaxants</b>   |          |  |                                 |            |
| 46  | 610      | Chlorzoxazone, Diclofenac sodium & Paracetamol Tablet 250mg+50mg+325 mg                                | 10 Tab                          | PHC        |
| 47  | 698      | Tab Baclofen IP 10 mg (Each Uncoated Tablet contains Baclofen IP 10 mg )                               | 10X10                           | CHC        |

|  |     |   |   |            |
|--|-----|---|---|------------|
| 48   | 699 | Tab Tizanidine Hydrochloride IP 2 mg (Each Uncoated Tablet contains Tizanidine Hydrochloride IP 2 mg) | 10X10                                       | CHC        |
| <b>3. DRUGS FOR GOUT &amp; RHEUMATOID ARTHRITIS</b>        |     |   |   |            |
| 49   | 598 | Allopurinol Tablet 100 mg   | 10 Tab                                      | PHC        |
| 50   | 599 | Hydroxychloroquine Sulphate Tablet 200 mg   | 10 Tab                                      | PHC        |
| 51   | 600 | Leflunomide Phosphate Tablet 10 mg  | 10 Tab                                      | CHC        |
| 52   | 601 | Leflunomide Phosphate Tablet 20 mg  | 10 Tab                                      | CHC        |
| 53   | 602 | Sulfasalazine Delayed Release Tablet 500 mg   | 10 Tab                                      | DH         |
| <b>4. ANTIALLERGICS &amp; DRUGS USED IN ANAPHYLAXIS</b>    |     |   |   |            |
| <b>4.1 Corticosteroids</b>                                 |     |   |   |            |
| 54   | 35  | Betamethasone Tablet 0.5 mg   | 10 Tab                                      | PHC        |
| 55   | 418 | Betamethasone Sodium Phosphate Injection 4 mg/ml  | 1 ml Vial                                   | PHC        |
| 56   | 39  | Dexamethasone Injection 8 mg/2ml  | 2 ml Vial                                   | PHC        |
| 57   | 40  | Dexamethasone Tablet 0.5 mg   | 10 X 10 Tab                                 | PHC        |
| 58   | 42  | Hydrocortisone Sodium Succinate Injection 100 mg base / vial  | Vial  | PHC        |
| 59   | 44  | Methyl Prednisolone Sodium Succinate for Injection 500 mg   | Vial  | PHC        |
| 60   | 47  | Prednisolone Tablet 5 mg  | 10 Tab                                      | PHC        |
| 61   | 469 | Prednisolone Tablet 10 mg   | 10 Tab                                      | PHC        |
| 62   | 470 | Prednisolone Tablet 20 mg   | 10 X 10 Tab                                 | PHC        |
| 63   | 700 | Tab Dexamethasone IP 4 mg (Each Uncoated Tablet contains Dexamethasone IP 4 mg)                       | 10 X 10 Tab                                 | CHC        |
| <b>4.2 Antihistaminics &amp; Drugs used in Anaphylaxis</b> |     |   |   |            |
| 64   | 34  | Adrenaline Injection 1 mg/ml  | 1 ml Amp                                    | PHC        |
| 65   | 37  | Chlorpheniramine Maleate Tablet 4 mg  | 10 Tab                                      | Sub-center |
| 66   | 43  | Hydroxyzine Tablet 25 mg  | 10 X 10Tab                                  | PHC        |
| 67   | 45  | Pheniramine Injection 22.75 mg/ml   | 2 ml Amp                                    | PHC        |
| 68   | 48  | Promethazine Syrup IP 5 mg/ 5ml   | 60 ml Bottle with measuring cap             | PHC        |
| 69   | 49  | Promethazine Injection 25 mg/ml   | 2 ml Amp                                    | PHC        |
| 70   | 50  | Promethazine Tablet 25 mg   | 10 Tab                                      | PHC        |
| 71   | 497 | Anticold Syrup: Phenylephrine HCl , Chlorpheniramine maleate, and Paracetamol 2.5 mg+ 1 mg+125 mg/5ml | 30 ml Bottle                                | PHC        |
| 72   | 498 | Cetirizine, Phenylephrine& Paracetamol Tablet 5 mg + 10 mg + 325 mg                                   | 10 Tab                                      | PHC        |
| 73   | 499 | Cetirizine Syrup 5 mg/ml  | 30 ml                                       | PHC        |
| 74   | 659 | Levocetirizine Tablet 5mg   | 10 x 10 Tablet                              | Sub Center |
| 75   | 660 | Montelukast 10 mg + Levocetirizine 5mg Tablet   | 10x10 Tablet Strip / Blister / Alu-Alu pack | PHC        |
| <b>5. ANTIDOTES AND OTHER SUBSTANCES USED IN POISONING</b> |     |   |   |            |
| 76   | 51  | Naloxone Injection IP 0.4 mg/ml   | 1 ml Amp (10 ampoules)                      | CHC        |
| 77   | 52  | Pralidoxime Chloride Injection 25 mg/ml   | 20 ml                                       | PHC        |
| 78   | 500 | N- Acetylcystine Injection 200 mg/ml  | 2 ml Amp                                    | CHC        |
| <b>6. ANTI EPILEPTIC DRUGS</b>                             |     |   |   |            |
| 79   | 53  | Carbamazepine Tablet 200 mg   | 10 Tab                                      | PHC        |
| 80   | 54  | Carbamazepine Tablet IP 100 mg  | 10 X 10 Tab Strip/Blister                   | PHC        |
| 81   | 474 | Carbamazepine Oral Suspension USP 100 mg/5 ml   | 100 ml Bottle with measuring cap            | PHC        |
| 82   | 56  | Phenobarbitone Tablet 30 mg   | 10 Tab                                      | PHC        |
| 83   | 420 | Phenobarbitone Injection IP 200 mg/ml   | 1 ml  | CHC        |
| 84   | 57  | Phenytoin Injection 50 mg/ml  | 2 ml Amp                                    | PHC        |
| 85   | 58  | Phenytoin Oral Suspension 25 mg/ml  | 100 ml                                      | PHC        |
| 86   | 59  | Phenytoin Tablet 100 mg   | 10 Tab                                      | PHC        |
| 87   | 634 | Pregabalin Capsule IP 75 mg   | 10 Cap                                      | PHC        |
| 88   | 61  | Sodium Valproate Tablet 200 mg  | 10 Tab                                      | PHC        |
| 89   | 479 | Sodium Valproate Oral Solution IP 200 mg/ 5 ml  | 100 ml Bottle with measuring cap            | PHC        |
| 90   | 661 | Sodium Valproate(Gastro-resistant) IP Tablet 500 mg   | 10 x 10 Tab Strip                           | PHC        |
| 91   | 662 | Clobazam Tablet/Capsule 5 mg  | 10 x 10 Tab/Cap Blister                     | CHC        |
| 92   | 663 | Clobazam Tablet/Capsule 10 mg   | 10 x 10 Tab/Cap Blister                     | CHC        |
| 93   | 664 | Levetiracetam Tablet 500 mg   | 10 x 10 Tab Blister                         | PHC        |
| 94   | 665 | Levetiracetam Oral Solution suspension 100 mg/ml  | 100 ml bottle in unit carton                | CHC        |
| 95   | 666 | Levetiracetam Injection 500 mg/5ml  | 5 ml Vial/Amp                               | DH         |

|     |     |   |                                   |     |
|-----|-----|---|-----------------------------------|-----|
| 96  | 667 | Gabapentine Tablet/Capsule 100 mg   | 10 x 10 Tab/Cap Blister/Strip     | PHC |
| 97  | 668 | Gabapentine Tablet/Capsule 300 mg   | 10 x 10 Tab/Capsule Blister/Strip | CHC |
| 98  | 701 | Tab Lamotrigine IP 50 mg (Each Sustained ReleaseTablet contains Lamotrigine IP 50 mg)   | 10X10                             | DH  |
| 99  | 702 | Tab Divalproex Extended Release IP 250 mg (Each Extended Release Film Coated Tablet contains Divalproex Sodium IP Equivalent to Valproic acid 250 mg) | 10X10                             | CHC |
| 100 | 703 | Tab Oxcarbazepine IP 150 mg (Each Film Coated Tablet contains Oxcarbazepine IP 150 mg)  | 10X10                             | CHC |
| 101 | 704 | Tab Lacosamide 100 mg (Each Film Coated Tablet contains Lacosamide 100 mg)  | 10X10                             | MCH |
| 102 | 705 | Tab Topiramate IP 25 mg (Each Film Coated Tablet contains Topiramate IP 25 mg )   | 10X10                             | CHC |

#### 7. ANTI- INFECTIVE DRUGS

|     |     |   |                     |            |
|-----|-----|---|---------------------|------------|
|     |     | <b>7.1 Antibacterials</b>   |                     |            |
|     |     | <b>7.1.1 Aminoglycosides</b>  |                     |            |
| 103 | 67  | Amikacin Injection 100 mg   | 2 ml vial           | PHC        |
| 104 | 504 | Amikacin Injection 250 mg   | Vial                | PHC        |
| 105 | 68  | Amikacin Injection 500 mg   | 2 ml vial           | PHC        |
| 106 | 116 | Gentamycin Injection 80 mg/2ml  | 2 ml Amp            | PHC        |
|     |     | <b>7.1.2 Betalactam</b>   |                     |            |
|     |     | <b>7.1.2.1 Penicillins</b>  |                     |            |
| 107 | 71  | Amoxycillin Capsule 250 mg  | 10 Cap              | PHC        |
| 108 | 72  | Amoxycillin Capsule 500 mg  | 10 Cap              | PHC        |
| 109 | 73  | Amoxycillin Trihydrate Dispersible Tablet 125 mg  | 10 Tab              | PHC        |
| 110 | 473 | Amoxycillin Oral Suspension (Dry Syrup) 125 mg/5ml  | 30 ml Bottle        | Sub Center |
| 111 | 69  | Amoxycillin and Cloxacillin Capsule 250 mg + 250 mg   | 10 X 10 Cap strip   | PHC        |
| 112 | 70  | Amoxycillin and Potassium Clavulanate Tabs 500 mg + 125 mg  | 10 Tab              | PHC        |
| 113 | 505 | Amoxicillin and Clavulanic acid Injection 600 mg  | Vial                | CHC        |
| 114 | 506 | Amoxicillin and Potassium Clavulanate Injection 1.2 gm  | Vial                | CHC        |
| 115 | 507 | Amoxycillin & Clavulanic Acid Syrup 200 mg + 28.5 mg / 5 ml   | 30 ml               | CHC        |
| 116 | 412 | Ampicillin Capsule 500 mg   | 10 Cap              | PHC        |
| 117 | 75  | Ampicillin Injection IP 500 mg  | Vial                | PHC        |
| 118 | 81  | Benzathine Benzylpenicillin Injection IP12 Lac units  | Vial                | PHC        |
| 119 | 82  | Benzathine Benzylpenicillin Injection 6 Lac units   | Vial                | PHC        |
| 120 | 417 | Cloxacillin Sodium Injection 500 mg   | Vial                | PHC        |
| 121 | 468 | Piperacillin and Tazobactum for Injection 4 gm + 500 mg   | Vial                | DH         |
| 122 | 706 | Tab. Amoxycillin 250 mg+Calvulanic Acid 125 mg IP Each Film Coated Tab Conatin Amoxycillin Trihydrate IP 250 mg & Potassium Clavulanate IP 125 mg | 10X10               | CHC        |
| 123 | 707 | Inj Piperacillin 2 gm + Tazobactom 250mg USP  | Vial                | MCH        |
|     |     | <b>7.1.2.2 Cephalosporins</b>   |                     |            |
| 124 | 510 | Cefepime Injection 500 mg   | Vial                | DH         |
| 125 | 84  | Cefixime Tablet 100 mg  | 10 X 10Tab          | PHC        |
| 126 | 85  | Cefixime Tablet 200 mg  | 10 Tab              | PHC        |
| 127 | 511 | Cefixime Oral Susp (Drops) 25 mg/ml   | 10 ml Bottle        | PHC        |
| 128 | 86  | Cefoperazone and Sulbactum for Injection 1 g + 0.5 g  | Vial                | CHC        |
| 129 | 87  | Cefotaxime Injection 1 g  | Vial                | CHC        |
| 130 | 88  | Cefotaxime Injection 250 mg   | Vial                | CHC        |
| 131 | 475 | Cefpodoxime Dispersible Tablet 50 mg  | 10 Tab              | CHC        |
| 132 | 89  | Ceftazidime Injection 1 g   | Vial                | CHC        |
| 133 | 90  | Ceftazidime Injection 250 mg  | Vial                | CHC        |
| 134 | 91  | Ceftazidime Injection 500 mg  | Vial                | CHC        |
| 135 | 93  | Ceftriaxone Injection IP 1 g/vial   | Vial                | PHC        |
| 136 | 94  | Ceftriaxone Injection 250 mg  | Vial                | PHC        |
| 137 | 95  | Ceftriaxone Injection IP 500 mg/vial  | Vial                | PHC        |
| 138 | 512 | Cefuroxime Tablet 250 mg  | 10 Tab              | CHC        |
| 139 | 96  | Cephalexin Capsule 250 mg   | 10 X 10 Cap Blister | PHC        |
| 140 | 97  | Cephalexin Capsule IP 500 mg  | 10 X 10 Cap Blister | PHC        |
| 141 | 427 | Cephalexin Oral Suspension ( Cephalexin Dry Syrup) 125 mg/ 5ml  | 30 ml Bottle        | PHC        |
| 142 | 476 | Cephalexin Tablet (DT) 125 mg   | 10 Tab              | PHC        |
| 143 | 708 | Inj. Ceftriaxone 1 gm + Tazobactum 125 mg   | Vial                | DH         |
| 144 | 709 | Tab.Cefadroxil 250 mg   | 10X10               | PHC        |

|     |     |  |                                    |            |
|-----|-----|--|------------------------------------|------------|
| 145 | 710 | Tab.Cefadroxil 500 mg  | 10X10                              | PHC        |
|     |     | <b>7.1.3 Macrolides</b>  |                                    |            |
| 146 | 78  | Azithromycin Tablet (DT) 100 mg  | 3 Tab                              | PHC        |
| 147 | 79  | Azithromycin Tablet IP 250 mg  | 3 Tab                              | PHC        |
| 148 | 80  | Azithromycin Tablet 500 mg   | 3 Tab                              | PHC        |
|     |     | <b>7.1.4 Quinolones</b>  |                                    |            |
| 149 | 101 | Ciprofloxacin Injection 200 mg/ 100 ml   | 100 ml Bottle                      | PHC        |
| 150 | 102 | Ciprofloxacin Tablet 250 mg  | 10 Tab                             | PHC        |
| 151 | 103 | Ciprofloxacin Tablet 500 mg  | 10 Tab                             | PHC        |
| 152 | 515 | Levofloxacin Tablet 250 mg   | 10 Tab                             | PHC        |
| 153 | 124 | Norfloxacin Tablet 400 mg  | 10 Tab                             | PHC        |
| 154 | 125 | Oflloxacin Tablet 200 mg   | 10 Tab                             | PHC        |
| 155 | 428 | Oflloxacin Suspension 50 mg/5 ml   | 30 ml Bottle                       | CHC        |
| 156 | 521 | Oflloxacin Injection 200mg / 100 ml  | 100 ml Bottle                      | CHC        |
| 157 | 520 | Oflloxacin and Ornidazole Tablet<br>200 mg + 500 mg  | 10 Tab                             | PHC        |
| 158 | 711 | Oflloxacin Oral Suspension IP (Each 5ml contains Oflloxacin IP 100 mg) 30 ml Size                                  | 30 ml bottle                       | CHC        |
| 159 | 712 | Tab. Levofloxacin IP 500 mg (Each Film Coated Tablet contains Levofloxacin<br>Hemihydrate IP 500 mg)               | 10X10                              | CHC        |
|     |     | <b>7.1.5 Other Anti Bacterials</b>   |                                    |            |
| 160 | 509 | Aztreonam Injection 500 mg   | Vial                               | MCH        |
| 161 | 513 | Clindamycin Capsule 150 mg   | 10 Cap                             | CHC        |
| 162 | 514 | Clindamycin Capsule 300 mg   | 10 Cap                             | CHC        |
| 163 | 107 | Co-trimoxazole Oral Suspension 40 mg + 200 mg per 5ml  | 50 ml Bottle with<br>measuring cap | Sub center |
| 164 | 108 | Co-trimoxazole Tablet 40 mg + 200 mg   | 10 Tab                             | Sub center |
| 165 | 669 | Co-trimoxazole Tablet 160 mg + 800 mg  | 10 x 10 Tab                        | Sub center |
| 166 | 111 | Doxycycline Capsule 100 mg   | 10 Tab                             | PHC        |
| 167 | 516 | Linezolid Tablet IP 600 mg   | 10 X 10 Tab                        | DH         |
| 168 | 517 | Linezolid Injection 200 mg/100 ml  | 100 ml                             | DH         |
| 169 | 119 | Meropenem Injection 500 mg   | Vial                               | DH         |
| 170 | 481 | Meropenem Injection 1 g  | Vial                               | DH         |
| 171 | 413 | Nitrofurantoin Tablet 100 mg   | 10 Tab                             | PHC        |
| 172 | 523 | Vancomycin Injection 500 mg  | Vial                               | CHC        |
| 173 | 524 | Vancomycin for intravenous Infusion IP 1 gm  | Vial                               | MCH        |
| 174 | 683 | Aztreonam 1gm Injection  | Vial                               | MCH        |
| 175 | 684 | Framycetin Sulphate Cream 1%   | 30 gm pack                         | Sub center |
| 176 | 685 | Framycetin Sulphate Cream 1%   | 100 gm pack                        | Sub center |
| 177 | 713 | Tab. Faropenem Sodium 200 mg (Each Film Tablet contains<br>Faropenem Sodium equivalent to Faropenem Sodium 200 mg) | 10X10                              | MCH        |
| 178 | 714 | Inj Clindamycin phosphate IP 300 mg  | Vial                               | DH         |
| 179 | 715 | Inj Imipenem + Cilastatin 500mg/500mg IP Powder for Solution   | Vial                               | MCH        |
| 180 | 716 | Inj. Polymixin Sulphate B USP 5 Lac I.U.   | Vial                               | MCH        |
| 181 | 717 | Inj Meropenem IP 250 mg  | Vial                               | MCH        |
| 182 | 718 | Inj Colistimethate IP 1M IU Powder for Solution  | Vial                               | MCH        |
|     |     | <b>7.2 Anti Amoebic</b>  |                                    |            |
| 183 | 120 | Metronidazole Injection 500 mg/ 100 ml   | 100 ml Bottle                      | PHC        |
| 184 | 121 | Metronidazole Benzoate Oral Suspension 100 mg/ 5 ml  | 60 ml Bottle                       | PHC        |
| 185 | 122 | Metronidazole Tablet 200 mg  | 10 Tab                             | Sub center |
| 186 | 123 | Metronidazole Tablet 400 mg  | 10 Tab                             | Sub center |
| 187 | 430 | Tinidazole Tablet IP 300 mg (Film Coated)  | 10 X 10 Tab Blister                | PHC        |
| 188 | 431 | Tinidazole Tablet IP 500 mg (Film Coated)  | 10 X 10 Tab Blister                | PHC        |
|     |     | <b>7.3 Anthelmintics</b>   |                                    |            |
| 189 | 65  | Albendazole Oral Suspension 400 mg/ 10 ml  | 10 ml Bottle                       | PHC        |
| 190 | 66  | Albendazole Tablet IP 400 mg   | 10 X 10 Tab                        | Sub center |
| 191 | 110 | Diethylcarbamazine Tablets IP 100 mg   | 10 X10 Tab Blister                 | PHC        |
|     |     | <b>7.4 Anti Fungals</b>  |                                    |            |
| 192 | 104 | Clotrimazole Cream IP 2% w/w   | 15 gm Tube                         | PHC        |
| 193 | 105 | Clotrimazole Vaginal Tablet 500 mg   | Single Tab                         | PHC        |
| 194 | 114 | Fluconazole Tablet 150 mg  | 10 Tab                             | PHC        |
| 195 | 117 | Griseofulvin Tablets 125 mg  | 10 x 10 Tab Strip                  | CHC        |
| 196 | 118 | Itraconazole Capsule 100 mg  | 4 Cap                              | PHC        |
| 197 | 74  | Amphotericin B Injection 50 mg   | Vial                               | MCH        |

|  |       |   |                                 |            |
|--|-------|---|---------------------------------|------------|
| 198  | 800   | Inj. Liposomol Amphotericine B 50 mg  | Vial                            | MCH        |
| 199  | 720   | Inj. Voriconazole 200mg/Vial  | Vial                            | MCH        |
| 200  | 721   | Tab. Terbinafine Hydrochloride 250 mg   | 10X10                           | CHC        |
| <b>7.5 Anti Malarials</b>                              |       |   |                                 |            |
| 201  | 508   | Artisunate Injection 60 mg (combo pack with 1 ml ampoule of 5% Sodium Bicarbonate Injection and 5 ml ampoule of 0.9% Sodium Chloride Injection)                                 | Vial                            | PHC        |
| 202  | 98    | Chloroquine Phosphate Injection 40 mg/ml  | 5 ml Amp                        | PHC        |
| 203  | 99    | Chloroquine Phosphate Tablet 250mg (=155 mg of Chloroquine base)  | 10 Tab                          | Sub center |
| 204  | 100 A | Chloroquine Phosphate Suspension 50 mg/ 5ml   | 60 ml Bottle with measuring cap | PHC        |
| 205  | 518   | Mefloquine Tablet 250 mg  | 6 Tab                           | MCH        |
| 206  | 128   | Primaquine Tablet 2.5 mg  | 10 Tab                          | Sub center |
| 207  | 129   | Primaquine Tablet 7.5 mg  | 10 Tab                          | Sub center |
| 208  | 131   | Quinine Dihydrochloride Injection 300 mg/ml   | 2 ml Amp                        | PHC        |
| 209  | 132   | Quinine Sulphate Tablet 300 mg  | 10 Tab                          | PHC        |
| 210  | 645   | ACT Kit containing 3 tablet of Artesunate (each tablet of Artesunate 25mg strength) and 1 tablet of Sulphadoxine Pyremethamine (250 mg+ 12.5 mg)                                | 3 Tablet Pink Color Pack        | PHC        |
| 211  | 646   | ACT Kit containing 3 Tablet of Artesunate (50mg each) and 1tablet of Sulphadoxine Pyremethamine (500+25) mg   | 3 Tablet Yellow Color Pack      | PHC        |
| 212  | 647   | ACT Kit containing 3 Tablet of Artesunate (100 mg each) and 1 tablet of Sulphadoxine Pyremethamine (750 + 37.5) mg  | 3 Tablet Green Color Pack       | PHC        |
| 213  | 648   | ACT Kit containing 3 Tablet of Artesunate 150 mg and 2 Tablet of Sulphadoxine Pyremethamine (500 mg+ 25 mg)   | 3 Tablet Red Color Pack         | PHC        |
| 214  | 649   | ACT Kit containing 3 Tablet of Artesunate (each 200 mg) and 2 Tablet of Sulphadoxine Pyremethamine (750 + 37.5) mg each or 3 Tablet Sulphadoxine Pyremethamine (500+25) mg each | 3 Tablet White Color Pack       | PHC        |
| 215  | 686   | Artemether + Leumefantrine Tablet (40 mg and 240 mg)  | 1x6 Blister                     | PHC        |
| 216  | 651   | Artemether + Leumefantrine Tablet (80 mg and 480 mg)  | 1x 6 Blister                    | PHC        |
| <b>7.6 Anti Viral</b>                                  |       |   |                                 |            |
| 217  | 63    | Acyclovir Tablet 200 mg   | 10 Tab                          | PHC        |
| 218  | 64    | Acyclovir Tablet 800 mg   | 10 Tab                          | PHC        |
| 219  | 62    | Acyclovir Suspension 400 mg/ 5ml  | 60 ml Bottle                    | PHC        |
| 220  | 502   | Acyclovir Injection 250 mg  | Vial                            | DH         |
| 221  | 503   | Acyclovir Injection 500 mg  | Vial                            | DH         |
| 222  | 722   | Tab. Valganciclovir 450 mg  | 10X10                           | MCH        |
| 223  | 723   | Tab. Entecavir IP 0.5 mg (Each Film Coated Tablet conatins Entecavir IP 0.5 mg)   | 10X10                           | MCH        |
| 224  | 724   | Inj. Ganciclovir Sodium 500mg (lyophilized powder for reconstitution)   | Vial                            | MCH        |
| <b>8. ANTI NEOPLASTIC AND IMMUNO SUPPRESSANT DRUGS</b> |       |   |                                 |            |
| 225  | 133   | Azathioprine Tablet IP 50 mg  | 10X10 Tab Strip                 | CHC        |
| 226  | 134   | Bleomycin Injection 15 units  | Vial                            | DH         |
| 227  | 136   | Chlorambucil Tablet 5 mg  | 30 Tab Bottle                   | DH         |
| 228  | 137   | Cisplatin Injection 50 mg/ 50 ml  | 50 ml vial                      | DH         |
| 229  | 138   | Cyclophosphamide Injection 200 mg   | 10 ml vial                      | DH         |
| 230  | 139   | Cyclophosphamide Injection IP 500 mg  | 25 ml Glass Vial                | DH         |
| 231  | 677   | Cyclosporine Capsule USP 50 mg  | 50 Caps pack                    | DH         |
| 232  | 141   | Cytarabine Injection 100 mg/5 ml  | 5 ml Vial                       | DH         |
| 233  | 142   | Danazol Capsule IP 50 mg  | 10 X 10 Cap Blister             | DH         |
| 234  | 143   | Daunorubicin Injection 20 mg  | 10 ml vial                      | DH         |
| 235  | 144   | Doxorubicin Injection 50 mg/ 25 ml  | 25 ml Vial                      | DH         |
| 236  | 146   | Etoposide Injection 100 mg/ 5 ml  | 5 ml vial                       | DH         |
| 237  | 148   | Fluorouracil Injection 250 mg/ 5 ml   | 5 ml Amp                        | DH         |
| 238  | 149   | L-Asparaginase Injection 10000 IU   | Vial                            | DH         |
| 239  | 150   | Leucovorin Calcium Injection 10 mg/ml   | 5 ml Vial                       | DH         |
| 240  | 151   | Melphalan Tablet 5 mg   | 25 Tab Bottle                   | DH         |
| 241  | 152   | Mercaptopurine Tablet IP 50 mg  | 10 x10 Tab Strip                | DH         |
| 242  | 153   | Methotrexate Injection 50 mg/2 ml   | 2 ml vial                       | CHC        |
| 243  | 154   | Methotrexate Tablet 2.5 mg  | 10 Tab                          | CHC        |
| 244  | 155   | Paclitaxel Injection 260 mg   | 43.4 ml Vial                    | DH         |
| 245  | 156   | Paclitaxel Injection 100 mg   | 16.7 ml vial                    | DH         |
| 246  | 157   | Tamoxifen Tablet 10 mg  | 10 Tab                          | DH         |
| 247  | 158   | Vinblastine Injection 10 mg/10 ml   | 10 ml Vial                      | DH         |

|     |     |  |                   |     |
|-----|-----|--|-------------------|-----|
| 248 | 159 | Vincristine Injection 1 mg/ml  | 1 ml vial         | DH  |
| 249 | 525 | Alpha Interferon Injection 3 Million Unit  | Vial              | DH  |
| 250 | 526 | Carboplatin Injection 150mg  | 15 ml Vial        | DH  |
| 251 | 527 | Carboplatin Injection 450mg  | 45 ml Vial        | DH  |
| 252 | 528 | Cisplatin Injection 10 mg/10 ml  | 10 ml Vial        | DH  |
| 253 | 529 | Dacarbazine Injection 500 mg   | Vial              | DH  |
| 254 | 530 | Filgrastim Injection 300mcg/ml   | 1 ml PFS          | DH  |
| 255 | 531 | Gemcitabine Injection 200 mg   | Vial              | DH  |
| 256 | 532 | Gemcitabine Injection 1gm  | Vial              | DH  |
| 257 | 533 | Ifosfamide Injection 1gm   | Vial              | DH  |
| 258 | 534 | Imatinib Tablet 400 mg   | 10 Tab            | DH  |
| 259 | 536 | Methotrexate Tablet IP 10 mg   | 10 X 10 Tab Strip | CHC |
| 260 | 538 | Oxaliplatin Injection 50 mg  | 25 ml Vial        | DH  |
| 261 | 726 | Inj Bendamustine 100 mg  | Vial              | MCH |
| 262 | 727 | Tab Capecitabine IP 500 mg (Each Film Coated Tablet contains Capecitabine IP 500 mg)   | 10X10             | DH  |
| 263 | 728 | Tab Letrozole USP 2.5 mg (Each Film Coated Tablet contains Letrozole USP 2.5 mg)   | 10X10             | DH  |
| 264 | 729 | Capsule Temozolomide IP 100 mg (Each hard Gelatin Capsule contains Temozolomide IP 100mg)  | 10X10             | DH  |
| 265 | 730 | Inj. Bortezomib 2mg  | Vial              | MCH |
| 266 | 731 | Tab Abiraterone Acetate IP 250 mg (Each Uncoated Tablet contains Abiraterone Acetate IP 250 mg)  | 10X10             | MCH |
| 267 | 733 | Cap Thalidomide USP 100 mg (Each Hard Gelatin Capsule contains Thalidomide USP 100 mg)   | 10X10             | DH  |
| 268 | 734 | Inj. Bevacizumab 400 mg  | Vial              | MCH |
| 269 | 735 | Inj. Bevacizumab 100 mg  | Vial              | MCH |
| 270 | 736 | Tab Cyclophosphamide IP 50 mg (Each Sugar Coated Tablet contains Cyclophosphamide IP 53.5 mg equivalent to Anhydrous Cyclophosphamide 50 mg) | 10X10             | MCH |
| 271 | 737 | Tab Gefitinib IP 250 mg (Each Film Coated Tablet contains Gefitinib IP 250 mg)   | 10X10             | MCH |
| 272 | 738 | Capsule Mycophenolate mofetil USP 250 mg (Each Capsule Conatin Mycophenolate mofetil USP 250 mg)   | 10X10             | MCH |
| 273 | 739 | Capsule Tacrolimus IP 0.5 mg (Each Hard Gealtin Capsule Tacrolimus IP 0.5 mg)  | 10X10             | MCH |
| 274 | 740 | Tab. Mycophenolate Sodium 360 mg (Each Enteric Coated tablet Conatin Mycophenolate Sodium 360 mg)  | 10X10             | MCH |
| 275 | 741 | Tab. Bicalutamide USP 50 mg (Each Film Tablet contains Bicalutamide USP 50 mg)   | 10X10             | DH  |
| 276 | 742 | Tab. 6 Thioguanine USP 40 mg (Each Uncoated Tablet contains 6 Thioguanine USP 40 mg)   | 10X10             | DH  |
| 277 | 743 | Inj Zoledronic acid IP 4mg Vial  | 100 ml            | DH  |
| 278 | 797 | Tab Dasatinib 100 mg   | 60 Tab            | MCH |

#### 9. ANTI PARKINSONISM DRUGS

|     |     |  |                   |     |
|-----|-----|--|-------------------|-----|
| 279 | 540 | Bromocriptine Mesylate Tablet 2.5 mg         | 10 Tab            | MCH |
| 280 | 160 | Levodopa and Carbidopa Tablet 100 mg + 10 mg | 10 X 10 Tab Strip | CHC |
| 281 | 161 | Levodopa and Carbidopa Tablet 250 mg + 25mg  | 10 X 10 Tab Strip | PHC |
| 282 | 162 | Trihexyphenidyl Hydrochloride Tablet 2 mg    | 10 X 10 Tab Strip | CHC |

#### 10. DRUGS AFFECTING BLOOD

|     |     |  |                   |     |
|-----|-----|--|-------------------|-----|
|     |     | <b>10.1 Anticoagulant</b>  |                   |     |
| 283 | 163 | Acenocoumarol Tablet 2 mg  | 10 Tab            | CHC |
| 284 | 172 | Enoxaparin Sodium Injection 60 mg  | Vial / PFS        | CHC |
| 285 | 174 | Heparin Sodium Injection 5000 IU/ml  | 5 ml Vial         | CHC |
| 286 | 546 | Warfarin Sod. Tablet 5 mg  | 10 Tab            | CHC |
|     |     | <b>10.2 Haemostatic</b>  |                   |     |
| 287 | 173 | Ethamsylate Injection 250 mg/ 2ml  | 2 ml Amp          | PHC |
| 288 | 545 | Tranexamic Acid Tablet 500 mg  | 6 Tab             | PHC |
| 289 | 180 | Vitamin K Injection 10 mg/ml   | 1 ml Amp          | PHC |
| 290 | 745 | Tab Ethamsylate BP 500 mg (Each Uncoated Coated Tablet contains Ethamsylate BP 500 mg) | 10X10             | PHC |
| 291 | 746 | Feracrylum 1% w/w Sterile Solution 100 ml  | 100 ml            | PHC |
| 292 | 747 | Inj Tranexamic Acid IP 100mg/ml 5ml Size   | 5 ml vial         | CHC |
|     |     | <b>10.3 Drugs used in Haemophilia</b>  |                   |     |
| 293 | 171 | Dried Factor VIII Fraction (IV use) 250 IU   | Vial with diluent | DH  |
| 294 | 688 | Dried Factor VIII Fraction (IV use) 500 IU   | Vial with diluent | DH  |
| 295 | 689 | Dried Factor VIII Fraction (IV use) 1000 IU  | Vial with diluent | DH  |

|  |     |  |                         |     |
|--|-----|--|-------------------------|-----|
| 296                                    | 406 | Factor – IX Concentrate 600 IU   | Vial with solvent       | DH  |
| 297                                    | 407 | Anti- Inhibitor Coagulation Complex [Human Plasma Protein with a Factor VIII Inhibitor Bypassing Activity of 500 I.U. per Vial 500 IU] | Vial with 20 ml solvent | MCH |
| 298                                    | 690 | Recombinant Coagulation Factor VIIa - 1 mg   | 1 ml Vial               | MCH |
| 299                                    | 691 | Recombinant Coagulation Factor VIIa - 2 mg   | 2 ml Vial               | MCH |
| 300                                    | 748 | Recombinant F IX 500 IU with diluent   | Vial with diluent       | DH  |
| 301                                    | 749 | 3rd Generation Recombinant F VIII 250 IU with diluent  | Vial with diluent       | DH  |
| 302                                    | 750 | 3rd Generation Recombinant F VIII 1000 IU with diluent   | Vial with diluent       | DH  |
| <b>10.4 Drugs used in Thalassaemia</b> |     |  |                         |     |
| 303                                    | 165 | Deferasirox Tablet 100 mg  | 30 Tab                  | DH  |
| 304                                    | 166 | Deferasirox Tablet 500 mg  | 30 Tab                  | DH  |
| 305                                    | 167 | Deferiprone Capsule 250 mg   | 50 Caps                 | DH  |
| 306                                    | 168 | Deferiprone Capsule 500 mg   | 50 Caps                 | DH  |
| 307                                    | 169 | Desferrioxamine Injection (For I.M. Inj and I.V., S.C. Infusion) 500 mg  | Vial                    | DH  |
| <b>10.5 Erythropoetins</b>             |     |  |                         |     |
| 308                                    | 176 | rh-Erythropoetin Injection 10000 IU  | Vial / PFS              | DH  |
| 309                                    | 177 | rh-Erythropoetin Injection 2000 IU   | Vial / PFS              | CHC |
| 310                                    | 179 | rh-Erythropoetin Injection 4000 IU   | Vial / PFS              | DH  |
| <b>10.6 Plasma expanders</b>           |     |  |                         |     |
| 311                                    | 175 | Human Albumin Solution 20%   | 100 ml Bottle           | DH  |
| 312                                    | 416 | Hydroxyethyl Starch (130/4) 6% w/v with Sodium Chloride 0.9% w/v Intravenous Infusion  | 500 ml Plastic Bottle   | CHC |
| 313                                    | 405 | Polygeline 3.5% Solution with electrolytes for I.V. Infusion   | 500 ml Bottle           | CHC |
| <b>11. CARDIO VASCULAR DRUGS</b>       |     |  |                         |     |
| <b>11.1 Antiarrhythmic</b>             |     |  |                         |     |
| 314                                    | 547 | Adenosine Injection 6 mg/2ml   | 2 ml Vial               | CHC |
| 315                                    | 181 | Amiodarone Tablet 100 mg   | 10 Tab                  | PHC |
| 316                                    | 182 | Amiodarone Tablet 200 mg   | 10 Tab                  | CHC |
| 317                                    | 183 | Amiodarone Hydrochloride Injection 50 mg/ml  | 3 ml Amp                | DH  |
| 318                                    | 211 | Verapamil Tablets IP 40 mg   | 10 X 10 Tab Strip       | CHC |
| <b>11.2 Thrombolytic</b>               |     |  |                         |     |
| 319                                    | 209 | Streptokinase Injection 15 Lac units   | Vial                    | CHC |
| 320                                    | 557 | Urokinase Injection 5 Lac Unit   | Vial                    | CHC |
| <b>11.3 Antiplatelet</b>               |     |  |                         |     |
| 321                                    | 444 | Aspirin Delayed Release Tablet (enteric coated) 75 mg  | 10 X 14 Tablets Strip   | PHC |
| 322                                    | 188 | Clopidogrel Tablet IP 75 mg  | 10 X 10 Tab Strip       | PHC |
| 323                                    | 549 | Clopidogrel and Aspirin Tablet 75 mg + 75 mg   | 10 Tab                  | PHC |
| <b>11.4 Antihypertensive</b>           |     |  |                         |     |
| 324                                    | 184 | Amlodipine Tablet IP 2.5 mg  | 10 Tab                  | PHC |
| 325                                    | 185 | Amlodipine Tablet 5 mg   | 10 Tab                  | PHC |
| 326                                    | 186 | Atenolol Tablet 50 mg  | 14 Tab                  | PHC |
| 327                                    | 462 | Atenolol Tablet 25 mg  | 14 Tab                  | PHC |
| 328                                    | 191 | Diltiazem Tablet 30 mg   | 10 Tab                  | CHC |
| 329                                    | 463 | Enalapril Maleate Tablet 10 mg   | 10 Tab                  | PHC |
| 330                                    | 194 | Enalapril Maleate Tablet 5 mg  | 10 Tab                  | PHC |
| 331                                    | 195 | Enalapril Maleate Tablet 2.5 mg  | 10 Tab                  | PHC |
| 332                                    | 410 | Labetalol Tablet 100 mg  | 10 Tab                  | PHC |
| 333                                    | 411 | Labetalol Hydrochloride Injection 20 mg/ 4ml   | 4 ml Amp                | PHC |
| 334                                    | 466 | Lisinopril Tablet 2.5 mg   | 10 Tab                  | PHC |
| 335                                    | 199 | Lisinopril Tablet 5 mg   | 10 Tab                  | PHC |
| 336                                    | 465 | Lisinopril Tablet 10 mg  | 10 Tab                  | PHC |
| 337                                    | 467 | Losartan Tablet 25 mg  | 10 Tab                  | PHC |
| 338                                    | 200 | Losartan Tablet 50 mg  | 10 Tab                  | PHC |
| 339                                    | 457 | Amlodipine and Enalapril Maleate Tablet 5 mg +5mg  | 10 Tab                  | PHC |
| 340                                    | 458 | Losartan Potassium & Amlodipine Tablet 50 mg + 5mg   | 10 Tab                  | PHC |
| 341                                    | 459 | Losartan Potassium & Hydrochlorothiazide Tablet 50 mg + 12.5mg   | 10 Tab                  | PHC |
| 342                                    | 460 | Amlodipine and Lisinopril Tablet 5mg +5 mg   | 10 Tab                  | PHC |
| 343                                    | 461 | Amlodipine and Atenolol Tablet 5 mg +50 mg   | 10 Tab                  | PHC |
| 344                                    | 202 | Methyldopa Tablet 250 mg   | 10 Tab                  | PHC |
| 345                                    | 552 | Metoprolol Tablet IP 25 mg   | 10 X 10 Tab             | PHC |

|   |     |   |                           |            |
|---|-----|---|---------------------------|------------|
| 346                                     | 553 | Metoprolol Succinate Tablet (Extended Release) USP 50 mg  | 10 X 10 Tab               | PHC        |
| 347                                     | 203 | Nifedipine capsule 5 mg   | 10 Cap                    | PHC        |
| 348                                     | 204 | Nifedipine Tablet (Sustained Release) 10 mg   | 10 Tab                    | PHC        |
| 349                                     | 555 | Prazosin Tablet (Extended Release) 2.5 mg   | 14 Tab                    | CHC        |
| 350                                     | 207 | Propranolol Tablet 40 mg  | 10 Tab                    | PHC        |
| 351                                     | 636 | Ramipril Tablet / Capsule 2.5 mg  | 10 X 10 Cap               | PHC        |
| 352                                     | 556 | Telmisartan Tablet IP 40 mg   | 10 X 10 Tab               | PHC        |
| 353                                     | 751 | Tab. Clonidine Hydrochloride USP 0.1 mg (Each Tablet contains Clonidine Hydrochloride USP 0.1 mg)                     | 10 X 10 Tab               | CHC        |
| 354                                     | 752 | Tab. Sotalol Hydrochloride USP/BP 40mg (Each Film Coated Tablet contains Sotalol Hydrochloride USP/BP 40mg)           | 10 X 10 Tab               | DH         |
| 355                                     | 753 | Inj. Esmolol hydrochloride 10mg/ml 10ml Size  | 10 ml                     | DH         |
| 356                                     | 754 | Inj. Sodium Nitroprusside 25mg/ml 2ml Size  | 2 ml                      | MCH        |
| 357                                     | 755 | Tab. Carvedilol 3.125 mg  | 10 X 10 Tab               | CHC        |
| <b>11.5 Antianginal</b>                 |     |   |                           |            |
| 358                                     | 650 | Glyceryl Trinitrate Tablet 2.6 mg   | 10 Tab                    | PHC        |
| 359                                     | 197 | Isosorbide Dinitrate Tablet 5 mg  | 10 Tab                    | PHC        |
| 360                                     | 198 | Isosorbide Mononitrate Tablet 20 mg   | 10 Tab                    | PHC        |
| 361                                     | 205 | Nitroglycerin Injection 5 mg/ml   | 5 ml Amp                  | PHC        |
| <b>11.6 Lipid lowering</b>              |     |   |                           |            |
| 362                                     | 187 | Atorvastatin Tablet 10 mg   | 10 Tab                    | PHC        |
| 363                                     | 548 | Atorvastatin Tablet 40 mg   | 10 Tab                    | PHC        |
| 364                                     | 550 | Fenofibrate Capsule 200 mg  | 10 Cap                    | CHC        |
| 365                                     | 756 | Tab Rosuvastatin IP 20 mg (Each Film Coated Tablet contains Rosuvastatin Calcium IP equivalent to Rosuvastatin 20 mg) | 10 X 10 Tab               | DH         |
| 366                                     | 757 | Tab Rosuvastatin 10 mg  | 10 X 10 Tab               | CHC        |
| <b>11.7 Drugs used in Heart failure</b> |     |   |                           |            |
| 367                                     | 189 | Digoxin Injection 0.25 mg/ml  | 2 ml Amp                  | PHC        |
| 368                                     | 190 | Digoxin Tablet 0.25 mg  | 10 x 10 Tab Strip         | PHC        |
| 369                                     | 192 | Dobutamine Injection 50 mg/ml   | 5 ml Amp                  | PHC        |
| 370                                     | 193 | Dopamine Hydrochloride Injection 40 mg/ml   | 5 ml Amp                  | PHC        |
| 371                                     | 551 | Isoprenaline Injection 2mg / ml   | 1 ml Amp                  | CHC        |
| 372                                     | 758 | Tab. Sacubitril 24 mg and Valsartan 26 mg   | 10X10                     | CHC        |
| <b>11.8 Miscellaneous</b>               |     |   |                           |            |
| 373                                     | 554 | Noradrenaline Injection 2 mg/ml   | 1 ml Amp                  | CHC        |
| 374                                     | 201 | Magnesium Sulphate Injection (50%) 500 mg/ml  | 2 ml Amp                  | Sub Centre |
| <b>12. DENTAL DRUGS</b>                 |     |   |                           |            |
| 375                                     | 580 | Chlorhexidine Mouthwash BP 0.20%  | 50 ml Bottle              | PHC        |
| 376                                     | 581 | Dental Gel: Choline salicylate + Benzalkonium + Lignocaine 8.75%  | 10 gm                     | PHC        |
| 377                                     | 582 | Desensitizing Tooth Gel with Sodium Mono Fluoro Phosphate & Pot. Nitrate 0.7%+ 5 %                                    | 50 gm                     | PHC        |
| 378                                     | 583 | Gum Paint containing Tannic acid , Cetrimide , Zinc Chloride 2%+0.1%+1%   | 15 ml                     | PHC        |
| 379                                     | 584 | Metronidazole and Chlorhexidine Gel 1%+ 0.25%   | 10 gm                     | PHC        |
| <b>13. DERMATOLOGICAL DRUGS</b>         |     |   |                           |            |
| <b>13.1 Antifungal</b>                  |     |   |                           |            |
| 380                                     | 220 | Miconazole Nitrate Cream 2%   | 15 gm Tube                | PHC        |
| 381                                     | 443 | Clotrimazole Mouth Paint (Clotrimazole 1% w/v) 1%   | 15 ml                     | PHC        |
| 382                                     | 565 | Ketoconazole Cream 2%   | 15 gm Tube in Mono Carton | PHC        |
| 383                                     | 759 | Powder Clotrimazole 1% w/w 30 gm  | 30 gm bottle              | PHC        |
| 384                                     | 760 | Oint. Terbinafine 1%w/w (10 gm Tube)  | 10 gm tube                | CHC        |
| <b>13.2 Anti-infective</b>              |     |   |                           |            |
| 385                                     | 445 | Beclomethasone, Neomycin and Clotrimazole Cream 0.025% + 0.5% + 1%  | 10g Tube                  | PHC        |
| 386                                     | 560 | Clindamycin Phosphate Gel USP 1%  | 20 gm Tube in mono carton | CHC        |
| 387                                     | 216 | Fusidic Acid Cream 2%   | 10 gm Tube                | PHC        |
| 388                                     | 223 | Neomycin, Bacitracin with Sulphacetamide Powder 5mg + 250units + 60mg   | 10 gm                     | PHC        |
| 389                                     | 761 | Olopatadine Hydrochloride Ophthalmic Solution 0.1% w/v USP (E/D) 5ml Size   | 5 ml bottle               | MCH        |
| 390                                     | 762 | Cream Mupirocin USP 2% (Each Gram contains 21.5 mg Mupirocin Calcium USP in a mineral oil cream base) 15 gm Size      | 15 gm tube                | CHC        |
| <b>13.3 Topical Steroids</b>            |     |   |                           |            |

|     |     |  |                           |     |
|-----|-----|--|---------------------------|-----|
| 391 | 558 | Betamethasone Dipropionate Cream 0.05%                               | 15 gm                     | PHC |
| 392 | 559 | Betamethasone Lotion 0.05%   | 50 ml                     | PHC |
| 393 | 561 | Clobetasol Cream 0.05%   | 20 gm Tube                | CHC |
|     |     | <b>13.4 Antiviral</b>  |                           |     |
| 394 | 213 | Acyclovir Cream 5%   | 5 gm Tube                 | PHC |
|     |     | <b>13.5 Scabicides &amp; Pediculocides</b>                           |                           |     |
| 395 | 446 | Gamma Benzene Hexachloride Lotion(Lindane lotion USP) 1%             | 100 ml Bottle             | PHC |
| 396 | 569 | Permethrin Cream 5%  | 30 gm Tube                | PHC |
| 397 | 568 | Permethrin Lotion 5%   | 30 ml                     | PHC |
| 398 | 670 | Coal tar 6% & Salicylic Acid 3% Onitment                             | 20gm                      | PHC |
|     |     | <b>13.6 Others</b>   |                           |     |
| 399 | 564 | Glycerin IP 100 ml   | 100 ml Bottle             | PHC |
| 400 | 217 | Glycerin IP 400 gm   | 400 gm Bottle             | PHC |
| 401 | 671 | Calamine Lotion IP   | 100 ml Bottle             | PHC |
| 402 | 106 | Compound Benzoic Acid Ointment IP Benzoic Acid 6%+ Salicylic Acid 3% | 15 gm Tube                | PHC |
| 403 | 570 | Tretinoin Cream 0.03%  | 20 gm Tube in mono carton | CHC |

#### **14. REAGENTS & DIAGNOSTIC AGENTS**

|     |     |  |               |     |
|-----|-----|--|---------------|-----|
|     |     | <b>14.1 Blood Grouping</b>   |               |     |
| 404 | 225 | Anti A Blood Grouping Serum (Anti A Monoclonal Serum IP)   | 10 ml Vial    | PHC |
| 405 | 226 | Anti B Blood Grouping Serum  | 10 ml Vial    | PHC |
| 406 | 227 | Anti DRH Blood Grouping Serum  | 10 ml Vial    | PHC |
|     |     | <b>14.2 Dyes &amp; Contrast Media</b>  |               |     |
| 407 | 232 | Diatrizoate Meglumine and Diatrizoate Sodium Inj USP 60% (Iodine Conc. 292 mg/ml) 60%                        | 20 ml Amp     | DH  |
| 408 | 233 | Diatrizoate Meglumine and Diatrizoate Sodium Inj USP 76%w/v (Iodine Conc. 370 mg/ml) 76%                     | 20 ml Amp     | DH  |
| 409 | 235 | Gadodiamide Injection 0.5 mmol/ml  | 10 ml vial    | MCH |
| 410 | 672 | Iohexol USP (Solution for injection) non ionic contrast medium in sterile aqueous solution 350 mg Iodine/ml. | 50 ml Pack    | DH  |
| 411 | 482 | Iohexol ( Non Ionic contrast medium in Sterile aqueous solution) 300 mg Iodine/ml.                           | 20 ml Pack    | DH  |
|     |     | <b>14.3 Diagnostic</b>   |               |     |
| 412 | 801 | Multistix Test Strip   | 100's Pack    | PHC |
| 413 | 242 | VDRL Antigen (with +ve and -ve control) / RPR Slide Kit  | 100 Test Kits | PHC |

#### **15. DISINFECTANTS & ANTISEPTICS**

|     |     |   |               |            |
|-----|-----|---|---------------|------------|
| 414 | 215 | Cetrimide Cream IP 0.50%  | 15 gm Tube    | PHC        |
| 415 | 447 | Chlorhexidine Gluconate Solution 5%   | 250 ml Bottle | PHC        |
| 416 | 244 | Compound Benzoin Tincture IP  | 500 ml Bottle | PHC        |
| 417 | 245 | Formaldehyde Solution (34.5% - 38%)   | 450 ml bottle | PHC        |
| 418 | 246 | Gentian Violet Topical Solution USP 1%  | 200 ml Bottle | Sub center |
| 419 | 247 | Glutaraldehyde Solution 2%  | 5 Lit Can     | PHC        |
| 420 | 248 | Hydrogen Peroxide Solution 6%   | 400 ml bottle | Sub center |
| 421 | 249 | Lysol (Cresol with Soap Solution) (Cresol 50% + Soap 50%)                         | 5 Lit Can     | PHC        |
| 422 | 222 | Povidone Iodine Solution 5%   | 500 ml bottle | Sub center |
| 423 | 450 | Povidone Iodine Solution 5%   | 100 ml bottle | Sub center |
| 424 | 572 | Povidone Iodine Solution 10%  | 100 ml Bottle | PHC        |
| 425 | 250 | Povidone Iodine Scrub Solution / Cleansing Solution 7.5% w/v Povidone Iodine 7.5% | 500 ml bottle | PHC        |
| 426 | 221 | Povidone Iodine Ointment 5%   | 15 gm Tube    | Sub center |
| 427 | 571 | Povidone Iodine Ointment 5%   | 250 gm Pack   | PHC        |
| 428 | 224 | Silver Sulphadiazine Cream 1%   | 50 gm Tube    | PHC        |
| 429 | 573 | Silver Sulphadiazine Cream IP 1%  | 500 gm Jar    | PHC        |
| 430 | 252 | Surgical Spirit BP  | 500 ml bottle | PHC        |
| 431 | 449 | Surgical Spirit BP  | 100 ml bottle | Sub center |

#### **16. DIURETICS**

|     |     |                                   |               |     |
|-----|-----|-----------------------------------|---------------|-----|
| 432 | 253 | Acetazolamide Tablet 250 mg       | 10 Tab        | PHC |
| 433 | 254 | Furosemide Tablet 40 mg           | 10 Tab        | PHC |
| 434 | 255 | Furosemide Injection 10 mg/ml     | 2 ml Amp      | PHC |
| 435 | 256 | Hydrochlorthiazide Tablet 12.5 mg | 10 Tab        | PHC |
| 436 | 464 | Hydrochlorthiazide Tablet 25 mg   | 10 Tab        | PHC |
| 437 | 257 | Mannitol Injection 20%            | 100 ml Bottle | PHC |
| 438 | 258 | Spiromolactone Tablet 25 mg       | 10 Tab        | CHC |

|                                    |  |   |   |            |
|------------------------------------|--|---|---|------------|
| 439                                | 574  | Spiromolactone Tablet 50 mg   | 10 Tab  | CHC        |
| 440                                | 259  | Torsemide Tablet 10 mg  | 10 X 10 Tab   | PHC        |
| <b>17. DRUGS FOR EAR AILMENTS</b>  |  |   |   |            |
| 441                                | 585  | Ciprofloxacin and Dexamethasone Ear Drops 0.3% + 0.1%   | 5 ml Vial   | PHC        |
| 442                                | 586  | Clotrimazole 1% with Beclomethasone Dipropionate 0.025% Ear Drops   | 5 ml Ear Drops  | PHC        |
| 443                                | 588  | Neomycin, Polymixin B & Hydrocortisone Ear Drops/Otic Solution USP (Neomycin Sulphate 3400 IU, Polymixin B Sulphate 10000 IU and Hydrocortisone 10 mg per ml)             | 5 ml Bottle/Vial with separate dropper  | PHC        |
| 444                                | 589  | Wax dissolving Ear Drops: Paradichlorobenzene , Benzocaine , Chlorobutanol , Turpentine oil 2% + 2.7% + 5% + 15%  | 10 ml Bottle  | PHC        |
| <b>18. GASTRO INTESTINAL DRUGS</b> |  |   |   |            |
|                                    | <b>18.1 Antacid</b>                                  |   |   |            |
| 445                                | 260  | Antacid Tablet  | 10 X 10 Tab Blister   | Sub center |
| 446                                | 261  | Antacid Liquid  | 60 ml Bottle with measuring cap   | PHC        |
|                                    | <b>18.2 Anti-Ulcer</b>                               |   |   |            |
| 447                                | 272  | Omeprazole Capsule 20 mg  | 10 Cap  | PHC        |
| 448                                | 275  | Pantoprazole Injection 40 mg  | Vial  | CHC        |
| 449                                | 596  | Pantoprazole & Domperidone SR Capsule 40 mg+ 30 mg  | 10 Cap  | PHC        |
| 450                                | 276  | Ranitidine HCL Injection 50 mg/2ml  | 2 ml Amp  | PHC        |
| 451                                | 277  | Ranitidine Tablet 150 mg  | 10 Tab  | PHC        |
| 452                                | 433  | Ranitidine Tablet 300 mg  | 10 Tab  | PHC        |
|                                    | <b>18.3 Abdominal colic &amp; Antispasmodic</b>      |   |   |            |
| 453                                | 263  | Dicyclomine Tablet 10 mg  | 10 Tab  | Sub center |
| 454                                | 264  | Dicyclomine Injection 10 mg/ml  | 2 ml Amp  | PHC        |
| 455                                | 265  | Dicyclomine Hydrochloride Oral Solution IP10 mg/5ml   | 30 ml Bottle with measuring cap   | PHC        |
| 456                                | 438  | Dicyclomine Hydrochloride and Activated Dimethicone Suspension 10mg + 40mg per ml   | 10 ml bottle  | PHC        |
| 457                                | 439  | Dicyclomine and Paracetamol Tablet 20mg + 325mg   | 10 X 10 Tab Blister   | PHC        |
| 458                                | 415  | Drotaverine Tablet 40 mg  | 10 Tab  | PHC        |
| 459                                | 5  | Drotaverine Hydrochloride Injection 40 mg/2ml   | 2 ml Amp  | PHC        |
| 460                                | 591  | Drotaverine & Mefenamic Acid Tablet 80 mg + 250 mg  | 10 X 10 Tab   | PHC        |
| 461                                | 414  | Hyoscine Butylbromide Tablet 10 mg  | 10 Tab  | PHC        |
| 462                                | 268  | Hyoscine Butylbromide Injection IP 20 mg/ml   | 1 ml Amp  | PHC        |
|                                    | <b>18.4 Antiemetic</b>                               |   |   |            |
| 463                                | 270  | Metoclopramide Injection 10 mg/2ml  | 2 ml Amp  | PHC        |
| 464                                | 271  | Metoclopramide Tablet 10 mg   | 10 Tab  | PHC        |
| 465                                | 478  | Metoclopramide Syrup 5 mg/ 5ml  | 30 ml Bottle  | PHC        |
| 466                                | 267  | Domperidone Tablet 10 mg  | 10 Tab  | Sub center |
| 467                                | 590  | Domperidone Oral Drops 10 mg/ ml  | 10 ml Bottle (with a separate dropper, which should be able to screw & cap the bottle) in a unit carton | PHC        |
| 468                                | 266  | Domperidone Suspension 5 mg/ 5ml  | 30 ml Bottle  | PHC        |
| 469                                | 595  | Ondansetron orally Disintegrating MD Tablet 4 mg  | 10 X 10 Tab   | PHC        |
| 470                                | 273  | Ondansetron Injection 2 mg/ml   | 2 ml Amp  | PHC        |
| 471                                | 763  | Tab Doxylamine Succinate 20 mg & Pyridoxine Hydrochloride 20 mg (Each Enteric Coated Tablet contains Doxylamine Succinate USP 20 mg & Pyridoxine Hydrochloride IP 20 mg ) | 10 X 10 Tab   | PHC        |
|                                    | <b>18.5 Drugs for Constipation, Diarrhoea, Piles</b> |   |   |            |
| 472                                | 262  | Bisacodyl Tablet 5 mg   | 10 Tab  | PHC        |
| 473                                | 592  | Lactic Acid Bacillus Tablet 60 million spores   | 10 X 10 Tab   | PHC        |
| 474                                | 593  | Lactulose Solution 10gm/15ml  | 100 ml Bottle   | PHC        |
| 475                                | 594  | Liquid Paraffin IP  | 100 ml Bottle   | PHC        |
| 476                                | 218  | Liquid Paraffin IP  | 400 ml Bottle   | PHC        |
| 477                                | 269  | Loperamide Tablet IP 2 mg   | 10 X 10Tab  | PHC        |
| 478                                | 274  | ORS Powder  | Pouches 20.5gms   | Sub center |
| 479                                | 219  | Ointment containing : Lidocaine 3%, Zinc oxide 5% , Hydrocortisone 0.25%, Allantoin 0.5%  | 15 gm Tube  | PHC        |
| 480                                | 278  | Sodium Phosphates Enema BP  | 100 ml  | Sub center |
| 481                                | 765  | Probiotic Sachets 1 gm Size (Each Gram Sachet contains Saccharomyces Boulardii 250mg & Lactic acid Bacillus 150 million spores)   | 1 gm Each sachet  | PHC        |
|                                    | <b>18.6 Drugs For Gall Stones</b>                    |   |   |            |

|  |  |   |                                 |     |
|--|--|---|---------------------------------|-----|
| 482  | 597  | Ursodeoxycholic Acid Tablet 300 mg  | 10 Tab                          | CHC |
|  | <b>18.7 Drugs For Ulcerative Colitis</b>       |   |                                 |     |
| 483  | 766  | Tab. Mesalamine USP 1.2 gm Enteric Coated<br>(Each Enteric Coated Prolonged Release Tablet Conatin Mesalamine USP 1.2 gm)       | 10X10                           | DH  |
| <b>19. HORMONES, OTHER ENDOCRINE DRUGS</b> |  |   |                                 |     |
|  | <b>19.1 Antidiabetics</b>                      |   |                                 |     |
| 484  | 279  | Biphasic Isophane Insulin Injection 30 / 70 (30% Soluble Insulin & 70% Isophane Insulin) 40 IU / ml                             | 10 ml Vial                      | PHC |
| 485  | 294  | Isophane Insulin Injection 40 IU / ml   | 10 ml Vial                      | PHC |
| 486  | 300  | Soluble Insulin Injection 40 IU / ml  | 10 ml Vial                      | PHC |
| 487  | 287  | Glibenclamide Tablet 5 mg   | 10 Tab                          | PHC |
| 488  | 288  | Gliclazide Tablets IP 40 mg   | 10 x10 Tab Strip /Blister       | PHC |
| 489  | 289  | Glimepiride Tablet 2 mg   | 10 Tab                          | PHC |
| 490  | 290  | Glimepiride Tablet 1 mg   | 10 Tab                          | PHC |
| 491  | 291  | Glipizide Tablet IP 5 mg  | 10 X 10 Tab                     | PHC |
| 492  | 295  | Metformin Tablet 500 mg   | 10 X 10 Tab                     | PHC |
| 493  | 297  | Pioglitazone Tablet IP 15 mg  | 10 X 10 Tab                     | PHC |
| 494  | 451  | Metformin Hydrochloride SR Tablet 1000 mg   | 10 Tab                          | PHC |
| 495  | 452  | Glipizide and Metformin Hydrochloride Tablet 5 mg + 500 mg  | 10 Tab                          | PHC |
| 496  | 453  | Glibenclamide and Metformin Hydrochloride (SR) Tablet 5 mg + 500 mg   | 10 Tab                          | PHC |
| 497  | 454  | Metformin Hydrochloride (SR) and Glimepiride Tablet 500 mg + 1 mg   | 10 Tab                          | PHC |
| 498  | 455  | Metformin Hydrochloride (Sustained Release) and Glimepiride Tablet 500 mg + 2 mg  | 10 Tab                          | PHC |
| 499  | 456  | Glimepiride, Pioglitazone and Metformin Hydrochloride (SR) Tablet 2mg + 15mg + 500mg  | 10 X 10 Tab                     | PHC |
| 500  | 603  | Gliclazide and Metformin Tablet 80 mg + 500 mg  | 10 Tab                          | PHC |
| 501  | 680  | Insulin Glargine 100 IU/ml with 15 Insulin Syringes and needles/Cartridge 100 IU/ml with 15 needles and 1 pen per 20 Cartridges | 3 ml Vial                       | CHC |
| 502  | 693  | Insulin Glargine 100 IU/ml with 30 Insulin Syringes with Needle   | 10 ml Vial                      | CHC |
| 503  | 682  | Tenagliptin Tablet 20 mg  | 10 x10 Tab Blister/Alu-Alu pack | PHC |
|  | <b>19.2 Female Hormonal Preparations</b>       |   |                                 |     |
| 504  | 281  | Carboprost Tromethamine Injection 0.25 mg/ml  | 1 ml Amp                        | CHC |
| 505  | 282  | Clomiphene Tablet IP 25 mg  | 10 x 10 Tab Strip               | CHC |
| 506  | 283  | Clomiphene Tablet 50 mg   | 10 Tab                          | CHC |
| 507  | 284  | Conjugated Estrogen Tablet 0.625 mg   | 10 Tab                          | CHC |
| 508  | 285  | Dinoprostone Cream 0.5 mg   | Syringe                         | CHC |
| 509  | 286  | Ethinylestradiol Tablet IP 50 mcg   | 10 x 10 Tab Strip               | PHC |
| 510  | 293  | Hydroxyprogesterone Injection 250 mg/ml   | 1 ml Amp                        | PHC |
| 511  | 296  | Norethisterone Tablet 5 mg  | 10 Tab                          | PHC |
| 512  | 298  | Progesterone Injection 200 mg /2ml  | 2 ml Amp                        | PHC |
| 513  | 605  | Medroxyprogesterone acetate Tablet IP 10 mg   | 10 X 10 Tab                     | CHC |
|  | <b>19.3 Thyroid &amp; Anti-thyroid</b>         |   |                                 |     |
| 514  | 280  | Carbimazole Tablet 5 mg   | 10 Tab                          | PHC |
| 515  | 301  | Thyroxine Sodium Tablet 100 mcg   | 10 Tab                          | PHC |
| 516  | 607  | Thyroxine Sodium Tablets IP 50 mcg  | 10X 10 Tab                      | PHC |
|  | <b>19.4 Others</b>                             |   |                                 |     |
| 517  | 604  | Glucagon Injection USP 1 mg/ml  | Vial                            | MCH |
| 518  | 608  | Octreotide Injection 50 mcg/ml  | 1 ml Amp                        | MCH |
| <b>20. IMMUNOLOGICALS</b>                  |  |   |                                 |     |
|  | <b>20.1 Anti D Immunoglobulin</b>              |   |                                 |     |
| 519  | 303  | Human Anti D Immunoglobulin Injection (IM use) 300 mcg  | PFS/Vial                        | PHC |
| 520  | 304  | Human Anti D Immunoglobulin 150 mcg   | 1 ml Vial                       | CHC |
|  | <b>20.2 Anti Rabies &amp; Anti snake venum</b> |   |                                 |     |
| 521  | 305  | Human Rabies Immunoglobulin Injection 150 IU/ml   | 2 ml vial                       | CHC |
| 522  | 306  | Rabies Vaccine Human (Cell Culture) (Intradermal) 2.5 IU  | 1 ml vial with 1.0 ml diluent   | PHC |
| 523  | 307  | Rabies Vaccine Human (Cell Culture) (Intramuscular) 2.5 IU/ dose  | Single dose vial                | PHC |
| 524  | 408  | Rabies Antiserum IP (Equine) (I.M./SC use) 300 units / ml   | 5 ml Vial                       | PHC |
| 525  | 308  | Snake Venom Anti Serum (Polyvalent Anti Snake Venom) Lyophilized  | 10 ml Vial                      | PHC |
|  | <b>20.3 Others</b>                             |   |                                 |     |
| 526  | 633  | Normal Human Intravenous Immunoglobulin 5g/100ml  | 100 ml vial                     | DH  |

|     |     |  |                     |     |
|-----|-----|--|---------------------|-----|
| 527 | 309 | Tetanus Immunoglobulin 250 IU                                    | Vial / Ampoule      | DH  |
| 528 | 310 | Tetanus Vaccine (adsorbed) IP                                    | 5 ml Vial           | PHC |
| 529 | 480 | Diphtheria Antitoxin 10,000 IU                                   | Vial                | DH  |
| 530 | 767 | Inj. Hepatitis B Immunoglobulin IP 200 I.U                       | Vial                | DH  |
| 531 | 798 | Inj. Human Immunoglobulin 12%IgM, 12%IgA & 76% IgG 10 ml(0.5 gm) | 10 ml vial (0.5 gm) | MCH |

#### **21. NEUROMUSCULAR BLOCKERS & CHOLINESTERASE INHIBITORS**

|     |     |  |            |     |
|-----|-----|--|------------|-----|
| 532 | 311 | Atracurium Injection 10 mg/ml                        | 2.5 ml Amp | CHC |
| 533 | 312 | Glycopyrrrolate Injection 0.2 mg/ml                  | 1 ml Amp   | CHC |
| 534 | 314 | Neostigmine Injection IP 0.5 mg/ml                   | 1 ml Amp   | CHC |
| 535 | 638 | Neostigmine Injection 2.5 mg/5ml                     | 5 ml Amp   | CHC |
| 536 | 317 | Succinylcholine Injection 50 mg/ml                   | 10 ml vial | CHC |
| 537 | 318 | Valethamate Bromide Injection 8 mg/ml                | 1 ml Amp   | PHC |
| 538 | 419 | Vecuronium Bromide for Injection 4 mg (Freeze Dried) | Vial/ Amp  | CHC |
| 539 | 768 | Inj. Cis Atracurium Besylate 2 mg/ml in 5 ml vial    | 5 ml vial  | MCH |

#### **22. OPHTHALMOLOGICAL PREPARATIONS**

|   |     |   |   |            |
|---|-----|---|---|------------|
| <b>22.1 Anti fungal</b>                     |     |   |   |            |
| 540   | 425 | Fluconazole Eye Drops 0.3%  | 5 ml Vial with sterilised dropper or squeeze vial | PHC        |
| 541   | 769 | Acyclovir Eye Ointment IP 3% w/w 5gm Size   | 5 gm Tube   | DH         |
| <b>22.2 Anti inflammatory</b>               |     |   |   |            |
| 542   | 421 | Flurbiprofen Sodium Ophthalmic Solution 0.03%   | 5 ml Vial   | PHC        |
| <b>22.3 Anti glaucoma</b>                   |     |   |   |            |
| 543   | 612 | Betaxolol Eye Drops 0.50%   | 5 ml Squeeze Vial                                 | CHC        |
| 544   | 487 | Brimonidine Tartrate and Timolol Eye Drops 0.15% + 0.5%                                   | 5 ml Vial   | PHC        |
| 545   | 484 | Timolol Eye Drops 0.50%   | 5 ml Vial   | CHC        |
| 546   | 486 | Travoprost Ophthalmic Solution 0.004%   | 3 ml squeeze Vial                                 | CHC        |
| <b>22.4 Pupillary Dilators/Constrictors</b> |     |   |   |            |
| 547   | 319 | Atropine Eye Ointment 1%  | 3 gm Tube   | PHC        |
| 548   | 320 | Atropine Sulphate Ophthalmic Solution USP 1%  | 5 ml Vial with sterilized dropper or squeeze vial | CHC        |
| 549   | 485 | Homatropine Eye Drops 2%  | 5 ml Vial   | CHC        |
| 550   | 241 | Tropicamide Eye Drops 1%  | 5 ml Vial   | CHC        |
| <b>22.5 Antibiotic</b>                      |     |   |   |            |
| 551   | 321 | Chloramphenicol Eye Drops 0.05%   | 5 ml Vial   | PHC        |
| 552   | 322 | Ciprofloxacin Eye Drops 0.30%   | 5 ml Vial   | Sub center |
| 553   | 323 | Ciprofloxacin Ophthalmic Ointment 0.30%   | 5 gm Tube   | PHC        |
| 554   | 330 | Tobramycin and Dexamethasone Ophthalmic Suspension 0.30%+0.10%                            | 5 ml Vial   | PHC        |
| 555   | 331 | Tobramycin Eye Drops 0.30%  | 5 ml Vial   | PHC        |
| 556   | 332 | Tobramycin Ophthalmic Ointment 0.30%  | 5 gm Tube   | PHC        |
| 557   | 770 | Eye drop Moxifloxacin 0.5% w/v Ophthalmic Solution IP 5ml Size                            | 5 ml Vial with sterilized dropper or squeeze vial | CHC        |
| 558   | 771 | Chloramphenicol 1% w/w Eye ointment IP, 3gm Size  | 3 gm tube   | PHC        |
| <b>22.6 Local anaesthetic</b>               |     |   |   |            |
| 559   | 424 | Lidocaine Hydrochloride Topical Solution USP 4%   | 30 ml Vial  | PHC        |
| <b>22.7 Others</b>                          |     |   |   |            |
| 560   | 613 | Carboxymethylcellulose Sodium Lubricant Eye Drops 0.50%                                   | 10 ml Vial  | PHC        |
| 561   | 423 | Hyaluronidase Injection 1500 IU   | Vial  | CHC        |
| 562   | 324 | Hydroxypropylmethyl Cellulose Solution with Prefilled Glass Syringe with Cannula 20 mg/ml | 2 ml PFS  | CHC        |

#### **23. DRUGS ACTING ON UTERUS**

|     |     |  |                   |            |
|-----|-----|--|-------------------|------------|
| 563 | 333 | Isoxsuprine Injection 5 mg/ml  | 2 ml Amp          | PHC        |
| 564 | 334 | Isoxsuprine Tablet 20 mg   | 10 Tab            | PHC        |
| 565 | 335 | Methylergometrine Injection 0.2 mg/ml  | 1 ml Amp          | PHC        |
| 566 | 336 | Methylergometrine Tablet IP 0.125 mg   | 10 x 10 Tab Strip | Sub center |
| 567 | 337 | Misoprostol Tablet 200 mcg   | 10 Tab            | Sub Center |
| 568 | 615 | Mifepristone Tablet 200 mg   | Single Tab        | PHC        |
| 569 | 338 | Oxytocin Injection 5 IU/ml   | 1 ml Amp          | PHC        |
| 570 | 772 | Natural Micronised Progesteron Soft gelatin Capsule 200 mg<br>(Each Soft Gelatin Capsule contains Progesteron IP 200 mg) | 10X10             | DH         |
| 571 | 773 | Tab Cabergoline IP 0.5mg (Each Uncoated Coated Tablet contains Cabergoline IP 0.5mg)                                     | 10X10             | CHC        |
| 572 | 774 | Inj Human Chorionic Gonadotropin IP 5000 I.U.  | Vial              | DH         |
| 573 | 775 | Leuproreotide Acetate depot 3.75 mg  | Vial              | MCH        |

|  |     |  |                                 |     |
|--|-----|--|---------------------------------|-----|
| 574  | 776 | Leurprolide Acetate depot 11.25 mg   | Vial                            | MCH |
| <b>24. PSYCHOTROPIC DRUGS</b>                    |     |  |                                 |     |
|  |     | <b>24.1 Anti psychotics</b>  |                                 |     |
| 575  | 342 | Chloridazepoxide Tablets IP 10 mg  | 10 x 10 Tab Strip               | PHC |
| 576  | 343 | Chlorpromazine Tablets IP 100 mg   | 10 x 10 Tab Strip               | PHC |
| 577  | 344 | Chlorpromazine Tablets IP 25 mg  | 10 x 10 Tab Strip               | PHC |
| 578  | 345 | Chlorpromazine Tablets IP 50 mg  | 10 x 10 Tab Strip               | PHC |
| 579  | 353 | Haloperidol Injection 5 mg/ml  | 1 ml Amp                        | PHC |
| 580  | 354 | Haloperidol Tablet 1.5 mg  | 10 Tab                          | CHC |
| 581  | 355 | Haloperidol Tablet 5 mg  | 10 Tab                          | CHC |
| 582  | 360 | Olanzapine Tablet 5 mg   | 10 Tab                          | CHC |
| 583  | 361 | Risperidone Tablet 2 mg  | 10 Tab                          | CHC |
| 584  | 362 | Risperidone Tablet 1 mg  | 10 Tab                          | CHC |
| 585  | 364 | Trifluperazine Tablets IP 5 mg   | 10 x 10 Tab Strip /Blister      | CHC |
| 586  | 674 | Quetiapine Tablet IP 50 mg   | 10 x 10 Tab Blister             | MCH |
| 587  | 675 | Quetiapine Tablet IP 25 mg   | 10 x 10 Tab Blister             | MCH |
| 588  | 777 | Tab. Levosulpiride 25 mg (Each Uncoated Tablet contains Levosulpiride 25 mg)   | 10X10                           | DH  |
|  |     | <b>24.2 Anti depressants</b>   |                                 |     |
| 589  | 341 | Amitriptyline Tablets IP 25 mg   | 10 X 10 Tab                     | PHC |
| 590  | 351 | Escitalopram Tablets IP 10 mg  | 10 x 10 Tab Strip /Blister      | CHC |
| 591  | 352 | Fluoxetine Capsule IP 20 mg  | 10 Cap                          | PHC |
| 592  | 356 | Imipramine Tablet 25 mg  | 10 Tab                          | PHC |
| 593  | 357 | Imipramine Tablet 75 mg  | 10 Tab                          | PHC |
| 594  | 358 | Lithium Carbonate Tablet 300 mg  | 10 Tab                          | CHC |
| 595  | 363 | Sertraline Tablet 50 mg  | 10 Tab                          | PHC |
|  |     | <b>24.3 Sedatives &amp; Tranquilizers</b>  |                                 |     |
| 596  | 339 | Alprazolam Tablet 0.25 mg  | 10 Tab                          | PHC |
| 597  | 340 | Alprazolam Tablet 0.5 mg   | 10 Tab                          | PHC |
| 598  | 678 | Clonazepam Tablet 0.5 mg   | 10 X 10 Tab                     | PHC |
| 599  | 349 | Diazepam Injection 10 mg/ 2ml  | 2 ml Amp                        | PHC |
| 600  | 350 | Diazepam Tablet 5 mg   | 10 Tab                          | PHC |
| 601  | 359 | Lorazepam Injection 2 mg/ml  | 2 ml Amp                        | CHC |
| 602  | 778 | Tab. Lorazepam IP 2 mg (Each Uncoated Tablet contains Lorazepam IP 2 mg )  | 10X10                           | CHC |
| 603  | 779 | Tab. Zolpidem 5 mg   | 10X10                           | CHC |
| <b>25. DRUGS ACTING ON THE RESPIRATORY TRACT</b> |     |  |                                 |     |
|  |     | <b>25.1 Anti asthmatic</b>   |                                 |     |
| 604  | 365 | Aminophylline Injection 25 mg/ml   | 10 ml Amp                       | PHC |
| 605  | 366 | Becлометасоне Inhalation 200 mcg/ dose   | 200 metered doses container     | PHC |
| 606  | 367 | Budesonide Nebulizer Suspension 0.25 mg/ml   | 2 ml Amp                        | PHC |
| 607  | 617 | Budesonide Rotacap 200 mcg   | 30 Capsule (Rotacaps)           | PHC |
| 608  | 369 | Ipratropium Bromide Nebulizer Solution 250 mcg/ml  | 15 ml vial                      | PHC |
| 609  | 618 | Ipratropium Rotacap 40 mcg   | 30 Capsule (Rotacaps)           | PHC |
| 610  | 370 | Salbutamol Tablet 4 mg   | 10 Tab                          | PHC |
| 611  | 371 | Salbutamol Inhalation 100 mcg/ dose  | 200 metered doses container     | PHC |
| 612  | 372 | Salbutamol Nebuliser Solution 5 mg/ml  | 10 ml Vial                      | PHC |
| 613  | 373 | Salbutamol Tablet 2 mg   | 10 Tab                          | PHC |
| 614  | 432 | Salbutamol Syrup IP 2 mg/5ml   | 100 ml Bottle                   | PHC |
| 615  | 619 | Terbutaline Sulphate Tablet IP 2.5 mg  | 10 X 10 Tab                     | PHC |
| 616  | 374 | Theophylline and Etophylline Injection 50.6mg + 169.4mg  | 2 ml Amp                        | PHC |
| 617  | 375 | Theophylline and Etophylline Tablet 23mg + 77mg  | 10 Tab                          | PHC |
| 618  | 376 | Theophylline Tablet (SR) 400 mg  | 10 X 10 Tab Blister             | PHC |
| 619  | 616 | Formoterol & Budesonide Rotacap 6 mcg+ 200 mcg   | 30 Capsule (Rotacaps)           | PHC |
| 620  | 780 | Tab. Acebrophylline 100 mg   | 10X10                           | PHC |
|  |     | <b>25.2 Antitussives</b>   |                                 |     |
| 621  | 368 | Cough Syrup [Each 5ml contains Chlorpheniramine Maleate IP 3mg Ammonium Chloride 130 mg, Sodium Citrate 65 mg, Menthol 0.5 mg] | 50 ml Bottle with measuring cap | PHC |
| 622  | 440 | Dextromethorphan Hydrobromide Syrup 13.5 mg/ 5ml   | 30 ml Bottle                    | PHC |

|     |                                |  |                                 |     |
|-----|--------------------------------|--|---------------------------------|-----|
| 623 | 692                            | Cough Syrup/ Expectorant (Amboxol Hydrochloride IP 15 mg, Terbutaline Sulphate IP 1.5 mg, Guaiphenesin IP 50 mg, Menthol IP 1 mg | 50 ml Bottle with measuring cap | PHC |
|     | <b>25.3 Local Decongestant</b> |  |                                 |     |
| 624 | 442                            | Saline Nasal Solution (Drops) 0.65%  | 10 ml bottle                    | PHC |
| 625 | 620                            | Xylometazoline Nasal Drops 0.1%  | 5 ml Vial                       | PHC |
|     |                                |  |                                 |     |

#### **26. SOLUTIONS CORRECTING WATER, ELECTROLYTE & ACID BASE DISTURBANCE**

|     |     |  |                                  |     |
|-----|-----|--|----------------------------------|-----|
| 626 | 377 | Compound Sodium Lactate Injection  | 500 ml Bottle                    | PHC |
| 627 | 378 | Dextrose Injection 25%   | 100 ml bottle                    | PHC |
| 628 | 379 | Dextrose Injection 10%   | 500 ml Bottle                    | PHC |
| 629 | 380 | Dextrose Injection 5%  | 500 ml Bottle                    | PHC |
| 630 | 381 | Multiple Electrolytes & Dextrose Injection Type I IP (Electrolyte 'P' Injection )  | 500 ml Bottle                    | PHC |
| 631 | 382 | Multiple Electrolytes & Dextrose Injection Type III IP (Electrolyte "M" Injection) | 500 ml Bottle                    | PHC |
| 632 | 383 | Potassium Chloride Injection 0.15 gm/ml  | 10 ml Amp                        | PHC |
| 633 | 384 | Potassium Chloride Oral Solution USP 500 mg/ 5ml                                   | 200 ml Bottle with measuring cap | PHC |
| 634 | 385 | Sodium Chloride and Dextrose Injection 0.9 % + 5 %                                 | 500 ml Bottle                    | PHC |
| 635 | 386 | Sodium Chloride Injection  | 500 ml Bottle                    | PHC |
| 636 | 621 | Sodium Chloride Injection  | 100 ml Bottle                    | PHC |
| 637 | 781 | Ringer Acetate Infusion 500 ml   | 500 ml bottle                    | CHC |
| 638 | 782 | Sodium Chloride 0.45% w/v Polypack 500 ml  | 500 ml bottle                    | CHC |

#### **27.DRUGS FOR UROLOGY**

|     |     |   |               |     |
|-----|-----|---|---------------|-----|
| 639 | 575 | Finasteride Tablet 5 mg   | 10 Tab        | CHC |
| 640 | 576 | Tamsulosin HCl Tablet 0.4 mg  | 10 Tab        | PHC |
| 641 | 579 | Flavoxate Tablet 200 mg   | 10 Tab        | PHC |
| 642 | 783 | Tab Savelamer Carbonate 400 mg (Each Film Coated Tablet contains Savelamer Carbonate 400 mg)          | 10X10         | MCH |
| 643 | 784 | Tab Sodium Bicarbonate USP 1 gm (Each Film Coated Tablet contains Sodium Bicarbonate USP 1 gm)        | 10X10         | DH  |
| 644 | 785 | Tab Levamisol Hydrochloride IP 50 mg (Each Uncoated tablet contains levamisol Hydrochloride IP 50 mg) | 10X10         | MCH |
| 645 | 787 | Tab. Dutasteride 0.5 mg   | 10X10         | CHC |
| 646 | 788 | Syp. Alkylizer 1.4 gm/5 ml ( 100 ml ) (Disodium Hydrogen Citrate)                                     | 100 ml bottle | PHC |

#### **28.ANTIVERTIGO**

|     |     |                             |             |     |
|-----|-----|-----------------------------|-------------|-----|
| 647 | 541 | Betahistine Tablet IP 8 mg  | 10 X 10Tab  | CHC |
| 648 | 542 | Betahistine Tablet IP 16 mg | 10 X 10 Tab | CHC |
| 649 | 543 | Cinnarizine Tablet IP 25 mg | 10 X 10 Tab | PHC |
| 650 | 544 | Cinnarizine Tablet IP 75 mg | 10 X 10 Tab | PHC |

#### **29. VITAMINS & MINERALS**

|     |     |   |                                    |            |
|-----|-----|---|------------------------------------|------------|
| 651 | 387 | Ascorbic Acid Tablet 500 mg   | 10 Tab                             | PHC        |
| 652 | 388 | Calcium Gluconate Injection 10%   | 10 ml Amp                          | PHC        |
| 653 | 622 | Calcium & Vitamin D3 Tablet 500 mg + 250 IU   | 10 Tab                             | Sub center |
| 654 | 441 | Calcium & Vitamin D3 Suspension (Each 5 ml contains Calcium Carbonate equivalent to elemental Calcium 250 mg + Vitamin D3 -125 IU)  | 100 ml Bottle (with Measuring Cap) | PHC        |
| 655 | 630 | Calcitriol Capsule 0.25 mcg   | 10 Cap                             | PHC        |
| 656 | 623 | Cholecalciferol Granules 60,000 IU /1gm   | 1 gm Sachet                        | PHC        |
| 657 | 390 | Ferrous Sulphate and Folic Acid Tablet 100 mg + 0.5 mg  | 10 Tab                             | Sub center |
| 658 | 391 | Ferrous Sulphate with Folic Acid Tab.(Paediatric) 20 mg + 0.1 mg  | 10 Tab                             | Sub center |
| 659 | 392 | Folic Acid Tablet IP 5 mg   | 10 Tab                             | Sub center |
| 660 | 448 | Iron and Folic Acid Syrup Each 5 ml contains Ferrous Fumerate equivalent to elemental iron 100 mg, Folic Acid 500 mcg   | 100 ml bottle with dropper         | PHC        |
| 661 | 488 | Iron Sucrose Injection 20 mg/ml USP/BP 20 mg/ml (for IV Use) Each ml contain : Ferric hydroxide in complex with Sucrose equivalent to elemental Iron 20 mg  | 5 ml Amp                           | PHC        |
| 662 | 624 | Mecobalamin Injection 500 mcg/ml  | 1 ml Amp                           | PHC        |
| 663 | 393 | Multivitamin Drops Each ml Contains Vit-A-3000 IU, Vit D3- 300IU, Vit-B 1-1mg, Riboflavin Phosphate Sodium- 2 mg, D- Pantenol- 2.5 mg, Niacinamide - 10 mg, Pyridoxine HCL - 1 mg, Cyanocobalamin 1 mcg, Lysine HCL 10 mg | 15 ml Bottle with dropper          | PHC        |
| 664 | 394 | Multivitamin Tablets NFI Formula Sugar Coated.Vit A 2500 IU   | 10 X 10 Tab                        | PHC        |
| 665 | 627 | Pyridoxine Tablet 40 mg   | 10 Tab                             | CHC        |
| 666 | 629 | Thiamine Tablet 100 mg  | 10 Tab                             | PHC        |
| 667 | 409 | Vitamin A Solution 1 Lac IU/ml  | 100 ml bottle                      | PHC        |

|     |     |   |                                 |            |
|-----|-----|---|---------------------------------|------------|
| 668 | 397 | Vitamin B Complex Tablet NFI (prophylactic)         | 10 Tab                          | Sub center |
| 669 | 395 | Vitamin B Complex Injection NFI                     | 10 ml vial                      | PHC        |
| 670 | 472 | Zinc Sulphate Dispersible IP Elemental Tablet 10 mg | 10X 10 Tab                      | Sub center |
| 671 | 652 | Methylcobalmin Tablet 500 mcg                       | 10 x 10 Tab Blister/Strip       | PHC        |
| 672 | 653 | Methylcobalmin Tablet 1500 mcg                      | 10 x 10 Tab Blister/Strip       | PHC        |
| 673 | 676 | Vitamin D3 Oral Solution 60000 IU                   | 5ml Glass bottle in Unit carton | PHC        |
| 674 | 789 | Inj. Ferric Carboxymaltose 50 mg/ml 10 ml size      | 10 ml vial                      | PHC        |
| 675 | 790 | Multi vitamin Syrup                                 | 100 ml                          | PHC        |

### 30. MISCELLANEOUS DRUGS

|     |     |   |                                 |     |
|-----|-----|---|---------------------------------|-----|
| 676 | 147 | Flunarizine Tablet 5 mg   | 10 Tab                          | PHC |
| 677 | 398 | Black Disinfectant Fluid (Phenyl)<br>(As per Schedule "O" Grade - III   | 5 Lit Can                       | PHC |
| 678 | 399 | Concentrated Solution for Haemodialysis B.P Acetate concentrate in 10 Litre Cans  | 10 Ltrs                         | DH  |
| 679 | 687 | Hameodialysis Bicarbonate Solution  | 10 Ltrs                         | DH  |
| 680 | 401 | Peritonial Dialysis Solution IP   | 1000 ml Pack                    | DH  |
| 681 | 402 | Sodium Bicarbonate Injection IP 7.5%  | 10 ml Amp                       | PHC |
| 682 | 404 | Water for Injection IP  | 10 ml Amp                       | PHC |
| 683 | 631 | Alendronate Sodium Tablets USP/BP 35 mg   | 4 Tab                           | MCH |
| 684 | 632 | Mannitol with Glycerin Injection 10% + 10%  | 100 ml                          | MCH |
| 685 | 635 | Surfactant for intratrecheal instillation(natural bovine lung surfactant)   | 4 ml Vial                       | DH  |
| 686 | 639 | Oseltamivir 75 mg Capsule (each capsule contains Oseltamivir Phosphate equivalent to Oseltamivir 75 mg )                                | 10 capsule Strip                | PHC |
| 687 | 640 | Oseltamivir 45 mg Capsule (each capsule contains Oseltamivir Phosphate equivalent to Oseltamivir 45 mg )                                | 10 capsule Strip                | PHC |
| 688 | 641 | Oseltamivir 30 mg Capsule (each capsule contains Oseltamivir Phosphate equivalent to Oseltamivir 30 mg )                                | 10 capsule Strip                | PHC |
| 689 | 642 | Oseltamivir Syrup<br>Oseltamivir Phosphate for oral suspension 12 mg/ml. (each ml contains 12 mg Oseltamivir base after reconstitution) | 75 ml Bottle with measuring cap | PHC |
| 690 | 644 | Vitamin K-1 (Phytomenadione) 1 mg/0.5ml injection   | 1 mg/0.5ml injection            | PHC |
| 691 | 791 | Intravenous Fat Emulsion 20% w/v (PL/TG Ratio 0.06) 250ml   | 250 ml bottle                   | MCH |
| 692 | 792 | Tab Pyridostigmine USP 60 mg (Each Tablet contains Pyridostigmine USP 60 mg )   | 10X10                           | DH  |
| 693 | 793 | Inj. Caffeine Citrate USP 20mg/ml (equivalent to 10 mg caffeine base/ml) 3ml Size   | 3 ml Vial                       | DH  |
| 694 | 794 | Inj. Amino Acid 10% 100ml Size  | 100 ml bottle                   | MCH |
| 695 | 795 | Cap. Vitamin E 400 mg   | 10X10                           | PHC |
| 696 | 796 | Inj Poractant Alpha 80 mg/ml in pack of 1.5 ml  | 1.5 ml Vial                     | DH  |

### List of Surgicals

| S. No. | Code No. | Name of Item   | Pack Size | Category   |
|--------|----------|--|-----------|------------|
| 1      | S-1      | Absorbable Gelatin Sponge IP 66, Size 80(+10) mm x 50 mm x 10 mm should be sterilized.   | Piece     | DH         |
| 2      | S-3      | Asepto Syringe with Transparent Bulb Sterile, 60 ml  | Piece     | DH         |
| 3      | S-4      | Blood Administration Set / Blood Transfusion Set<br><ul style="list-style-type: none"> <li>• Sharp and easy piercing spike suitable for blood bags and standard blood containers</li> <li>• Transparent cylindrical drip chamber with filter. Filter size should be 200+20 micrometer.</li> <li>• 150 cm long smooth kink resistant tubing</li> <li>• Efficient roller clamp to control and adjust the transfusion rate</li> <li>• Should conform to IS 9824(Part 3):1996</li> </ul> | Unit      | CHC        |
| 4      | S-5 (a)  | Disposable Sterile Surgical Rubber Gloves Size 6 ½ Inches<br><ul style="list-style-type: none"> <li>• Made of natural rubber Latex, powdered, without tear, properly folded in a paper</li> <li>• Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>• Tensile strength as per EN 455-2</li> <li>• Powder should be non-allergenic</li> <li>• should Conform to IS 13422</li> <li>• ISI marked / CE certified / FDA approved</li> </ul>                      | Pair      | Sub Center |

|    |         |   |            |            |
|----|---------|---|------------|------------|
| 5  | S-5 (b) | <p>Disposable Sterile Surgical Rubber Gloves Size 6 ½ Inches</p> <ul style="list-style-type: none"> <li>Made of natural rubber Latex, powder free (Polymer /Silicon Coated), without tear, properly folded in a paper</li> <li>Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>Tensile strength as per EN 455-2</li> <li>should Conform to IS 13422</li> </ul> <p><i>ISI marked / CE certified / FDA approved (CE Certification / FDA Approval for item is</i></p> | Pair       | Sub Center |
| 6  | S-6(a)  | <p>Disposable Sterile Surgical Rubber Gloves Size 7 Inches</p> <ul style="list-style-type: none"> <li>Made of natural rubber Latex, powdered,,without tear, properly folded in a paper</li> <li>Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>Tensile strength as per EN 455-2</li> <li>Powder should be non-allergenic</li> <li>should Conform to IS 13422</li> <li>ISI marked / CE certified / FDA approved</li> </ul>   | Pair       | PHC        |
| 7  | S-6 (b) | <p>Disposable Sterile Surgical Rubber Gloves Size 7 Inches</p> <ul style="list-style-type: none"> <li>Made of natural rubber Latex, powder free (Polymer /Silicon Coated), without tear, properly folded in a paper</li> <li>Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>Tensile strength as per EN 455-2</li> <li>should Conform to IS 13422</li> </ul> <p><i>ISI marked / CE certified / FDA approved (CE Certification / FDA Approval for item is</i></p>   | Pair       | PHC        |
| 8  | S-7 (a) | <p>Disposable Sterile Surgical Rubber Gloves Size 7½ Inches</p> <ul style="list-style-type: none"> <li>Made of natural rubber Latex, powdered, without tear, properly folded in a paper</li> <li>Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>Tensile strength as per EN 455-2</li> <li>Powder should be non-allergenic</li> <li>should Conform to IS 13422</li> <li>ISI marked / CE certified / FDA approved</li> </ul>  | Pair       | PHC        |
| 9  | S-7 (b) | <p>Disposable Sterile Surgical Rubber Gloves Size 7 ½ Inches</p> <ul style="list-style-type: none"> <li>Made of natural rubber Latex, powder free (Polymer /Silicon Coated), without tear, properly folded in a paper</li> <li>Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>Tensile strength as per EN 455-2</li> <li>should Conform to IS 13422</li> </ul> <p><i>ISI marked / CE certified / FDA approved (CE Certification / FDA Approval for item is</i></p> | Pair       | PHC        |
| 10 | S-8 (a) | <p>Suction Catheter, Sterile. Size: FG 5 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>Soft, kink resistant tubing</li> <li>Rounded open tip with lateral eye</li> <li>Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>Length 50 cm (min.)</li> <li>Should conform to ISO 8836:2014</li> </ul>   | Each Piece | PHC        |
| 11 | S-8 (b) | <p>Suction Catheter, Sterile. Size: FG 6 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>Soft, kink resistant tubing</li> <li>Rounded open tip with lateral eye</li> <li>Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>Length 50 cm (min.)</li> <li>Should conform to ISO 8836:2014</li> </ul>   | Each Piece | PHC        |
| 12 | S-8 (c) | <p>Suction Catheter, Sterile. Size: FG 8 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>Soft, kink resistant tubing</li> <li>Rounded open tip with lateral eye</li> <li>Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>Length 50 cm (min.)</li> <li>Should conform to ISO 8836:2014</li> </ul>   | Each Piece | PHC        |
| 13 | S-8 (d) | <p>Suction Catheter, Sterile. Size: FG 10 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>Soft, kink resistant tubing</li> <li>Rounded open tip with lateral eye</li> <li>Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>Length 50 cm (min.)</li> <li>Should conform to ISO 8836:2014</li> </ul>  | Each Piece | PHC        |

|    |         |  |            |     |
|----|---------|--|------------|-----|
| 14 | S-8 (e) | <p>Suction Catheter, Sterile. Size: FG 12 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>   | Each Piece | PHC |
| 15 | S-8 (f) | <p>Suction Catheter, Sterile. Size: FG 14 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>   | Each Piece | PHC |
| 16 | S-8 (g) | <p>Suction Catheter, Sterile. Size: FG 16 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>   | Each Piece | PHC |
| 17 | S-8 (h) | <p>Suction Catheter, Sterile. Size: FG 18 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>   | Each Piece | PHC |
| 18 | S-8 (i) | <p>Suction Catheter, Sterile. Size: FG 20 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>   | Each Piece | PHC |
| 19 | S-8 (j) | <p>Suction Catheter, Sterile. Size: FG 22 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>   | Each Piece | PHC |
| 20 | S-9 (a) | <p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size 8 FG</p> <ul style="list-style-type: none"> <li>• Made of Silicone elastomer bonded with Latex</li> <li>• Should have hard plastic valve</li> <li>• Smooth distal end with smooth eyes foratraumatic intubation</li> <li>• Symmetrical foley balloon</li> <li>• <u>Balloon capacity 3- 5 ml</u></li> </ul>   | Each Piece | PHC |
| 21 | S-9 (b) | <p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size 10 FG</p> <ul style="list-style-type: none"> <li>• Made of Silicone elastomer bonded with Latex</li> <li>• Should have hard plastic valve</li> <li>• Smooth distal end with smooth eyes foratraumatic intubation</li> <li>• Symmetrical foley balloon</li> <li>• <u>Balloon capacity 3- 5 ml</u></li> <li>• Should conform to IS 11497</li> <li>• Color coding marking to identify size</li> <li>• Length, wall thickness and balloon capacity should be mentioned as per IS 11497.</li> <li>• Specification for B,C,D,E,F,G should be mentioned as per IS11497 for particular size</li> </ul> | Each Piece | PHC |

|    |          |   |            |     |
|----|----------|---|------------|-----|
| 22 | S-9 (c)  | <p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size16 FG</p> <ul style="list-style-type: none"> <li>Made of Silicone elastomer bonded with Latex</li> <li>Should have hard plastic valve</li> <li>Smooth distal end with smooth eyes foratraumatic intubation</li> <li>Symmetrical foley balloon</li> <li>• Balloon capacity <math>30 \pm 1\text{ml}</math></li> <li>Should conform to IS 11497</li> <li>Color coding marking to identify size</li> <li>Length, wall thickness and balloon capacity should be mentioned as per IS 11497.</li> <li>Specification for B,C,D,E,F,G should be mentioned as per IS11497 for particular size</li> </ul>   | Each Piece | PHC |
| 23 | S-9 (d)  | <p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size18 FG</p> <ul style="list-style-type: none"> <li>Made of Silicone elastomer bonded with Latex</li> <li>Should have hard plastic valve</li> <li>Smooth distal end with smooth eyes foratraumatic intubation</li> <li>Symmetrical foley balloon</li> <li>• Balloon capacity <math>30 \pm 1\text{ ml}</math></li> <li>Should conform to IS 11497</li> <li>Color coding marking to identify size</li> <li>Length, wall thickness and balloon capacity should be mentioned as per IS 11497.</li> <li>Specification for B,C,D,E,F,G should be mentioned as per IS11497 for particular size</li> </ul>  | Each Piece | PHC |
| 24 | S-9 (e)  | <p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size20 FG</p> <ul style="list-style-type: none"> <li>Made of Silicone elastomer bonded with Latex</li> <li>Should have hard plastic valve</li> <li>Smooth distal end with smooth eyes foratraumatic intubation</li> <li>Symmetrical foley balloon</li> <li>• Balloon capacity <math>30 \pm 1\text{ ml}</math></li> <li>Should conform to IS 11497</li> <li>Color coding marking to identify size</li> <li>Length, wall thickness and balloon capacity should be mentioned as per IS 11497.</li> <li>Specification for B,C,D,E,F,G should be mentioned as per IS11497 for particular size</li> </ul>  | Each Piece | PHC |
| 25 | S-9 (f)  | <p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size22 FG</p> <ul style="list-style-type: none"> <li>Made of Silicone elastomer bonded with Latex</li> <li>Should have hard plastic valve</li> <li>Smooth distal end with smooth eyes foratraumatic intubation</li> <li>Symmetrical foley balloon</li> <li>• Balloon capacity <math>30 \pm 1\text{ ml}</math></li> <li>Should conform to IS 11497</li> <li>Color coding marking to identify size</li> <li>Length, wall thickness and balloon capacity should be mentioned as per IS 11497.</li> <li>Specification for B,C,D,E,F,G should be mentioned as per IS11497 for particular size</li> </ul>  | Each Piece | PHC |
| 26 | S-9 (g)  | <p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size 24 FG</p> <ul style="list-style-type: none"> <li>Made of Silicone elastomer bonded with Latex</li> <li>Should have hard plastic valve</li> <li>Smooth distal end with smooth eyes foratraumatic intubation</li> <li>Symmetrical foley balloon</li> <li>• Balloon capacity <math>30 \pm 1\text{ ml}</math></li> <li>Should conform to IS 11497</li> <li>Color coding marking to identify size</li> <li>Length, wall thickness and balloon capacity should be mentioned as per IS 11497.</li> <li>Specification for B,C,D,E,F,G should be mentioned as per IS11497 for particular size</li> </ul> | Each Piece | PHC |
| 27 | S-10 (a) | <p>Infant Feeding Tube Size:10FG length 50 cm (min.)</p> <ul style="list-style-type: none"> <li>Two lateral eyes at distal end</li> <li>Soft, kink resistant non-toxic PVC tubing, non irritant to delicate mucosa</li> <li>With female flexible mount with in-built closure</li> <li>Radio opaque line</li> <li>Sterile</li> </ul>   | Each Piece | PHC |

|    |          |  |            |     |
|----|----------|--|------------|-----|
| 28 | S-10 (b) | Infant Feeding Tube Size:8FG, length 50 cm (min.)<br>• Two lateral eyes at distal end<br>• Soft, kink resistant non-toxic PVC tubing, non irritant to delicate mucosa<br>• With female flexible mount with in-built closure<br>• Radio opaque line<br>• Sterile  | Each Piece | PHC |
| 29 | S-10 (c) | Infant Feeding Tube Size:5FG length 50 cm (min.)<br>• Two lateral eyes at distal end<br>• Soft, kink resistant non-toxic PVC tubing, non irritant to delicate mucosa<br>• With female flexible mount with in-built closure<br>• Radio opaque line<br>• Sterile   | Each Piece | PHC |
| 30 | S-11     | Sterile Disposable Perfusion Set with Airway and Needle (Adult Use)<br>• For gravity feed only<br>• Sharp and easy piercing spike with air vent<br>• Transparent and flexible drip chamber<br>• 150 cm long smooth kink resistant tubing<br>• Self sealing latex bulb which will also act as an port for extra medication  | Unit       | PHC |
| 31 | S-12     | Sterile Disposable Perfusion Set (Infusion set) with Airway and Needle (Paediatric Use)<br>• Burette type measured volume chamber of 100 ml<br>• Drop size of approx 60 drops per ml<br>• Injection port, latex free, for intermittent medication.<br>• Floating auto shut off valve (latex free) in burette.<br>• Soft and kink resistant PVC tubing.<br>• Roller controller for flow control<br>• Tube length 150 cm<br>• 23G needle | Unit       | PHC |
| 32 | S-13     | Sterile Disposable Infusion Set with Microdrip (I.V.)<br>• Microdrip Infusion set with drop size reduced to approx 60 drops per ml<br>• Sharp and easy piercing spike<br>• Transparent and flexible drip chamber<br>• 150 cm long smooth kink resistant tubing<br>• Efficient roller clamp to control and adjust the fluid rate<br>• Should conform to IS 12655 - 4 standard   | Unit       | PHC |
| 33 | S-14     | Insulin syringe ( 40 units) with (fixed) 30 G needle<br>Should conform to IS 12227   | Unit       | PHC |
| 34 | S-15 (a) | Sterile Disposable (Single Use) Teflon / PTFE I.V. Cannula with integrated 3 Way stop cock. Size 16G   | Each Piece | PHC |
| 35 | S-15 (b) | Sterile Disposable (Single Use Teflon / PTFE I.V. Cannula with integrated 3 Way stop cock. ) Size 18G<br>• Should be packed in transparent, single blister pack.<br>• Should conform to IS 10555 standard  | Each Piece | PHC |
| 36 | S-15 (c) | Sterile Disposable (Single Use) Teflon / PTFE I.V. Cannula with integrated 3 Way stop cock. Size 20G<br>• Should be packed in transparent, single blister pack.<br>• Should conform to IS 10555 standard   | Each Piece | PHC |
| 37 | S-15 (d) | Sterile Disposable (Single Use) Teflon / PTFE I.V. Cannula with integrated 3 Way stop cock. Size 22G<br>• Should be packed in transparent, single blister pack.<br>• Should conform to IS 10555 standard   | Each Piece | PHC |
| 38 | S-15 (e) | Sterile Disposable (Single Use) Teflon/ PTFE I.V. Cannula without port. Size 24G<br>• Suitable for paediatric & neonatal use<br>• Should be packed in transparent, single blister pack.<br>• Should conform to IS 10555 standard   | Each Piece | PHC |
| 39 | S-16     | Mucus Extractor Sterile<br>• Clear transparent container<br>• Antibacterial filter<br>• Soft, kink resistant PVC tubing  | Unit       | PHC |
| 40 | S-17 (a) | Nasal Oxygen Cannula (Set), Twin Bore (accessory for compressed air breathing) All Sizes (Adult)<br>• Soft and kink resistant PVC tubing<br>• Multichannel / star lumen to preventing accidental kinking<br>• Twin bores should ensure equal volume of oxygen to both air passages<br>• Connector for easy connection to the oxygen source   | Each Piece | PHC |

|    |          |   |            |            |
|----|----------|---|------------|------------|
| 41 | S-17 (b) | Nasal Oxygen Cannula (Set), Twin Bore (accessory for compressed air breathing) All Sizes (Pediatrics)<br><ul style="list-style-type: none"> <li>• Soft and kink resistant PVC tubing</li> <li>• Multichannel / star lumen to preventing accidental kinking</li> <li>• Twin bores should ensure equal volume of oxygen to both air passages</li> <li>• Connector for easy connection to the oxygen source</li> <li>• Tube length 200 cm</li> </ul>   | Each Piece | PHC        |
| 42 | S-18     | Paper Adhesive Plaster 1" X 9.0 mts (with cutter) Non woven adhesive tape, <u>hypoallergic, should have some stretch bonding</u>  | Unit       | Sub Center |
| 43 | S-19     | Paper Adhesive Plaster 2" X 9.0 mts (with cutter) Non woven adhesive tape hypoallergic, <u>should have some stretch bonding</u>   | Unit       | PHC        |
| 44 | S-20     | Paper Adhesive Plaster 3" X 9.0 mts (with cutter) Non woven adhesive tape hypoallergic, <u>should have some stretch bonding</u>   | Unit       | PHC        |
| 45 | S-21     | Plaster of Paris Bandages 15cm X 2.7mts / Roll<br>Should conform to Schedule F(II) of Drug and Cosmetic Act 1940  | Unit       | PHC        |
| 46 | S-22     | Plaster of Paris Bandages 10cm X 2.7mts / Roll<br>Should conform to Schedule F(II) of Drug and Cosmetic Act 1940  | Unit       | PHC        |
| 47 | S-23 (a) | Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 10<br><ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing foratraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul> | Each Piece | PHC        |
| 48 | S-23 (b) | Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 12<br><ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing foratraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul> | Each Piece | PHC        |
| 49 | S-24 (a) | Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 14<br><ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing foratraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul> | Each Piece | PHC        |
| 50 | S-24 (b) | Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 16<br><ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing foratraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul> | Each Piece | PHC        |

|    |          |   |            |            |
|----|----------|---|------------|------------|
| 51 | S-24 (c) | Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 18<br><ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing foratraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul>   | Each Piece | PHC        |
| 52 | S-25 (a) | Scalp Vein Set (Disposable): Size 18G<br><ul style="list-style-type: none"> <li>• Butterfly shaped wings for easy handling and attachment with skin. Colour coded</li> <li>• Needle should be bevelled, siliconised and should ensure atraumatic cannulation</li> <li>• Female luer fitting at one end</li> <li>• Soft, kink resistant, non-toxic, non irritant tube</li> <li>• Sterile</li> </ul>  | Each Piece | PHC        |
| 53 | S-25 (b) | Scalp Vein Set (Disposable): Size 20G<br><ul style="list-style-type: none"> <li>• Butterfly shaped wings for easy handling and attachment with skin. Colour coded</li> <li>• Needle should be bevelled, siliconised and should ensure atraumatic cannulation</li> <li>• Female luer fitting at one end</li> <li>• Soft, kink resistant, non-toxic, non irritant tube</li> <li>• Sterile</li> </ul>  | Each Piece | PHC        |
| 54 | S-25 (c) | Scalp Vein Set (Disposable): Size 22G<br><ul style="list-style-type: none"> <li>• Butterfly shaped wings for easy handling and attachment with skin. Colour coded</li> <li>• Needle should be bevelled, siliconised and should ensure atraumatic cannulation</li> <li>• Female luer fitting at one end</li> <li>• Soft, kink resistant, non-toxic, non irritant tube</li> <li>• Sterile</li> </ul>  | Each Piece | PHC        |
| 55 | S-25 (d) | Scalp Vein Set (Disposable): Size 24G<br><ul style="list-style-type: none"> <li>• Butterfly shaped wings for easy handling and attachment with skin. Colour coded</li> <li>• Needle should be bevelled, siliconised and should ensure atraumatic cannulation</li> <li>• Female luer fitting at one end</li> <li>• Soft, kink resistant, non-toxic, non irritant tube</li> <li>• Sterile</li> </ul>  | Each Piece | PHC        |
| 56 | S-26     | Sterile Hypodermic Syringe with Needle attached, 24G, Single Use - 2 ml<br><ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container</li> </ul>  | Unit       | Sub Center |
| 57 | S-27     | Sterile Hypodermic Syringe with Needle attached, 24G, Single Use - 5 ml<br><ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container.</li> </ul> | Unit       | PHC        |

|    |          |  |                    |     |
|----|----------|--|--------------------|-----|
| 58 | S-28     | Sterile Hypodermic Syringe with Needle attached, 22G, Single Use - 10 ml<br><ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container.</li> </ul> | Unit               | PHC |
| 59 | S-29     | Sterile Hypodermic Syringe with Needle attached, 22G, Single Use - 20 ml<br><ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container.</li> </ul> | Unit               | PHC |
| 60 | S-30 (a) | Surgical Blade Sterile, Size 11<br><ul style="list-style-type: none"> <li>• Single peel pack in metal foil</li> <li>• The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. The surfaces of the blade shall be smooth and free from tool marks and any sign of corrosion.</li> <li>• Should conform to IS 3319</li> </ul>  | 100 Blades/ Packet | PHC |
| 61 | S-30 (b) | Surgical Blade Sterile, Size 15<br><ul style="list-style-type: none"> <li>• Single peel pack in metal foil</li> <li>• The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. The surfaces of the blade shall be smooth and free from tool marks and any sign of corrosion.</li> <li>• Should conform to IS 3319</li> </ul>  | 100 Blades/ Packet | PHC |
| 62 | S-30 (c) | Surgical Blade Sterile, Size 22<br><ul style="list-style-type: none"> <li>• Single peel pack in metal foil</li> <li>• The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. The surfaces of the blade shall be smooth and free from tool marks and any sign of corrosion.</li> <li>• Should conform to IS 3319</li> </ul>  | 100 Blades/ Packet | PHC |
| 63 | S-39 (a) | Sterile Disposable Spinal Needle for Single Use 22G x 3 ½ inch<br><ul style="list-style-type: none"> <li>• Clear / transparent hub</li> <li>• Sharp tip which should ensure minimal puncture trauma</li> </ul>   | Each Piece         | CHC |
| 64 | S-39 (b) | Sterile Disposable Spinal Needle for Single Use 25G x 3 ½ inch<br><ul style="list-style-type: none"> <li>• Clear / transparent hub</li> <li>• Sharp tip which should ensure minimal puncture trauma</li> </ul>   | Each Piece         | CHC |
| 65 | S-40     | Urine Collecting Bag, Disposable 2000 ml<br><ul style="list-style-type: none"> <li>• Transparent sheet</li> <li>• Kink resistant flexible tubing not less than 90 cm in length</li> <li>• should have non-return valve</li> <li>• Top drainage outlet</li> <li>• Graduated bag</li> <li>• Moulded handle for easy handling</li> </ul>  | Unit               | PHC |
| 66 | S-41 (a) | Double J Stent, Sterile, Both Ends Open - size 4F, length 16 cm<br><ul style="list-style-type: none"> <li>• Radio opaque</li> <li>• Should be of inert material, non- irritant to tissue</li> </ul>  | Each Piece         | MC  |
| 67 | S-41 (b) | Double J Stent, Sterile, Both Ends Open, size 5F, length 20 cm<br><ul style="list-style-type: none"> <li>• Radio opaque</li> <li>• Should be of inert material, non- irritant to tissue</li> </ul>   | Each Piece         | MC  |

|    |          |  |            |     |
|----|----------|--|------------|-----|
| 68 | S-42 (a) | Double J Stent, Sterile, One End Closed - size 4F, length 16 cm<br>• Radio opaque<br>• Should be of inert material, non- irritant to tissue  | Each Piece | MC  |
| 69 | S-42 (b) | Double J Stent, Sterile, One End Closed, size 5F, length 20 cm<br>• Radio opaque<br>• Should be of inert material, non- irritant to tissue   | Each Piece | MC  |
| 70 | S-43 (a) | Endotracheal Tube, Plain - Size 2.5mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile   | Each Piece | CHC |
| 71 | S-43 (b) | Endotracheal Tube, Plain - Size 3mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile   | Each Piece | CHC |
| 72 | S-43 (c) | Endotracheal Tube, Plain - Size 3.5mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile   | Each Piece | CHC |
| 73 | S-43 (d) | Endotracheal Tube, Plain - Size 4mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile   | Each Piece | CHC |
| 74 | S-43 (e) | Endotracheal Tube, Plain - Size 4.5mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile   | Each Piece | CHC |
| 75 | S-43 (f) | Endotracheal Tube, Plain - Size 5mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile   | Each Piece | CHC |
| 76 | S-43 (g) | Endotracheal Tube, Plain - Size 5.5mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile   | Each Piece | CHC |
| 77 | S-43 (h) | Endotracheal Tube, Plain with radio-opaque line, Sterile, Single Use - Size 6mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile | Each Piece | CHC |
| 78 | S-43 (i) | Endotracheal Tube, Plain - Size 6.5mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile   | Each Piece | CHC |

|    |          |   |            |     |
|----|----------|---|------------|-----|
| 79 | S-43 (j) | Endotracheal Tube, Plain - Size 7mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile  | Each Piece | CHC |
| 80 | S-43 (k) | Endotracheal Tube, Plain - Size 7.5mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile  | Each Piece | CHC |
| 81 | S-43 (l) | Endotracheal Tube, Plain - Size 8mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile  | Each Piece | CHC |
| 82 | S-43 (m) | Endotracheal Tube, Plain - Size 8.5mm<br>• Transparent<br>• Standard 15 mm connector at proximal end<br>• Radio-opaque line throughout the length<br>• Tip suitable for nasal and oral intubation<br>• Single use, sterile  | Each Piece | CHC |
| 83 | S-44 (a) | Endotracheal Tube, Cuffed - Size 4mm<br>• Soft cuff towards the distal end<br>• Kink resistant inflation tube<br>• Murphy eye at distal end with polished smoothness<br>• Radio-opaque line<br>• Standard 15 mm connector<br>• Sterile, single use<br>• Curved shaped blister pack – suiting the shape of product | Each Piece | CHC |
| 84 | S-44 (b) | Endotracheal Tube, Cuff - Size 4.5mm<br>• Soft cuff towards the distal end<br>• Kink resistant inflation tube<br>• Murphy eye at distal end with polished smoothness<br>• Radio-opaque line<br>• Standard 15 mm connector<br>• Sterile, single use<br>• Curved shaped blister pack – suiting the shape of product | Each Piece | CHC |
| 85 | S-44 (c) | Endotracheal Tube, Cuff - Size 5mm<br>• Soft cuff towards the distal end<br>• Kink resistant inflation tube<br>• Murphy eye at distal end with polished smoothness<br>• Radio-opaque line<br>• Standard 15 mm connector<br>• Sterile, single use<br>• Curved shaped blister pack – suiting the shape of product   | Each Piece | CHC |
| 86 | S-44 (d) | Endotracheal Tube, Cuff - Size 6mm<br>• Soft cuff towards the distal end<br>• Kink resistant inflation tube<br>• Murphy eye at distal end with polished smoothness<br>• Radio-opaque line<br>• Standard 15 mm connector<br>• Sterile, single use<br>• Curved shaped blister pack – suiting the shape of product   | Each Piece | CHC |

|    |          |  |            |     |
|----|----------|--|------------|-----|
| 87 | S-44 (e) | <p>Endotracheal Tube, Cuff - Size 6.5mm</p> <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>    | Each Piece | CHC |
| 88 | S-44 (f) | <p>Endotracheal Tube, Cuff - Size 7mm</p> <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>      | Each Piece | CHC |
| 89 | S-44 (g) | <p>Endotracheal Tube, Cuff - Size 7.5</p> <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>      | Each Piece | CHC |
| 90 | S-44 (h) | <p>Endotracheal Tube, Cuff - Size 8</p> <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>        | Each Piece | CHC |
| 91 | S-44 (i) | <p>Endotracheal Tube, Cuff - Size 8.5</p> <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li><i>Curved shaped blister pack – suiting the shape of product</i></li> </ul> | Each Piece | CHC |
| 92 | S-44 (j) | <p>Endotracheal Tube, Cuff - Size 9</p> <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li><i>Curved shaped blister pack – suiting the shape of product</i></li> </ul>   | Each Piece | CHC |
| 93 | S-45     | <p>Tracheostomy Tube (PVC), Plain, Sterile, Single Use - All Sizes</p> <ul style="list-style-type: none"> <li>• Soft flexible flange at for easy fixation</li> <li>• 15 mm connector at terminal end which can be rotated in 360 degree direction</li> <li>• Non-irritant</li> <li>• Radio-opaque line</li> </ul>  | Each Piece | DH  |
| 94 | S-46     | <p>Tracheostomy Tube (PVC), Cuffed, Sterile, Single Use - All Sizes</p> <ul style="list-style-type: none"> <li>• Soft flexible flange at for easy fixation</li> <li>• 15 mm connector at terminal end which can be rotated in 360 degree direction</li> <li>• Non-irritant</li> <li>• Radio-opaque line</li> </ul>   | Each Piece | DH  |
| 95 | S-47 (a) | <p>Abdominal Drain Kit, Sterile, Having drainage catheter and Collection Bag (2000 ml) (size 24)</p> <ul style="list-style-type: none"> <li>• Graduated Bag</li> <li>• Should have well fitting cap</li> <li>• Soft drainage catheter 50 cm long, with radio opaque line</li> <li><i>Rounded open distal End with smoothatraumatic eyes in catheter</i></li> </ul>   | Each Piece | DH  |

|     |          |   |               |            |
|-----|----------|---|---------------|------------|
| 96  | S-47 (b) | Abdominal Drain Kit, Sterile, Having drainage catheter and Collection Bag (2000 ml) (size 28)<br>• Graduated Bag<br>• Should have well fitting cap<br>• Soft drainage catheter 50 cm long, with radio opaque line<br>• Rounded open distal end with smooth atraumatic eyes in catheter  | Each Piece    | DH         |
| 97  | S-47 (c) | Abdominal Drain Kit, Sterile, Having drainage catheter and Collection Bag (2000 ml) (size 32)<br>• Graduated Bag<br>• Should have well fitting cap<br>• Soft drainage catheter 50 cm long, with radio opaque line<br>• Rounded open distal end with smooth atraumatic eyes in catheter<br>• Catheter with markings at 2 cm interval   | Each Piece    | DH         |
| 98  | S-73     | Polypropylene Nonabsorbable Synthetic Surgical Mesh 7.5 cmX 15 cm soft to feel fast edges,slightly stretchbonding.  | Piece         | DH         |
| 99  | S-74     | Polypropylene Nonabsorbable Synthetic Surgical Mesh 15 cmX 15 cm soft to feel fast edges,slightly stretchbonding.   | Piece         | DH         |
| 100 | S-79     | Sterilised Umbilical Cotton Tape Width 3 mm, Length 75 cm<br>Should conform to Schedule F(III) of Drug and Cosmetic Act 1940  | Each Piece    | PHC        |
| 101 | S-80     | Bone Wax Sterilised   | 2 gm/ Packet  | CHC        |
| 102 | S-82     | Skin Graft Knife Blade (Sterile) (disposable )<br><br>Skin Grafting Knife Blade (Sterile) made of carbon steel or stainless steel material 158 mm long individually wrapped in wrapper corrosion inhibitor paper in single packet,.In packs of 10. The edge must be sharp enough to cut the skin in a single shave and should snugly fit in the handle Should conform to IS 3759.<br>2. Skin Grafting Knife Handle (Watson modification of Humby's Knife ) Stainless Steel, CE certified, in which the blade specified in (a) above should fit snugly. Should conform to 7980-1976. | One Pack each | DH         |
| 103 | S-84 (a) | K Wire, length 375 mm; 1mm<br>Length of wire should be mentioned with specification.<br>Should conform to IS 8261   | Each unit     | DH         |
| 104 | S-84 (b) | K Wire, length 375 mm;1.6mm<br>• Length of wire should be mentioned with specification.<br>• Should conform to IS 8261  | Each unit     | DH         |
| 105 | S-84 (c) | K Wire, length 375 mm; size 1.8mm<br>• Length of wire should be mentioned with specification.<br>• Should conform to IS 8261  | Each unit     | DH         |
| 106 | S-85     | Face Mask, Disposable<br>• Should be manufactured from non woven poly prop fabric<br>• Should be 3 plv construction   | Piece         | Sub Center |
| 107 | S-86 (a) | Surgical Cap, Disposable (For Surgeons)<br>• Should be manufactured from non woven fabric.<br>• Strip for tying the cap stitched on the back for proper grip on the forehead.<br>• Green colour<br>• Ultrasonically stitched<br>• Air permeable/breathable<br>• Should retain skin and hair particle.<br>• Strip for tying the cap  | Piece         | PHC        |
| 108 | S-86 (b) | Surgical Cap, Disposable ( For Nurses)<br>• Should be manufactured from non woven fabric<br>• Blue / Green colour<br>• Round upon wearing, with elastic<br>• Air permeable / breathable<br>• Should retain skin and hair particles  | Piece         | PHC        |

|     |           |   |            |     |
|-----|-----------|---|------------|-----|
| 109 | S-87 (a)  | Foldable Intra Ocular lens with injector (Size + 11 D to +17.5 D)<br>Size:6mm optics. 12-13mm total diameter<br>1. Made of foldable Acrylic (Hydrophobic) material<br>2. Bi-Convex single piece IOL with aspheric optics<br>3. Size:6mm optics. 12-13mm total diameter.<br>4. <u>Modified C loop haptic/plate haptics</u>   | Each Piece | CHC |
| 110 | S- 87 (b) | Foldable Intra Ocular lens with injector (Size + 18 D to + 24 D)<br>Size:6mm optics. 12-13mm total diameter<br>1. Made of foldable Acrylic (Hydrophobic) material<br>2. Bi-Convex single piece IOL with aspheric optics<br>3. Size:6mm optics. 12-13mm total diameter.<br>4. Modified C loop haptic/plate haptics<br>5. IOL should have UV blocking capability<br>6. IOL should have 360°square edge..<br>7. foldable and insertion by injector with disposable cartridge insertable by a sub 2.8 mm incision size or smaller incision<br>8. Diopters- + 18 D to + 24 D at 0.5 D step.<br><u>Supplying unit should be ISO accredited and IOL should be CE/US FDA certified</u>          | Each Piece | CHC |
| 111 | S- 87 (c) | Foldable Intra Ocular lens with injector (Size + 24.5 D to + 28.5 D )<br>Size:6mm optics. 12-13mm total diameter<br>1. Made of foldable Acrylic (Hydrophobic) material<br>2. Bi-Convex single piece IOL with aspheric optics<br>3. Size:6mm optics. 12-13mm total diameter.<br>4. Modified C loop haptic/plate haptics<br>5. IOL should have UV blocking capability<br>6. IOL should have 360°square edge..<br>7. foldable and insertion by injector with disposable cartridge insertable by a sub 2.8 mm incision size or smaller incision<br>8. Diopters- + 24.5 D to + 28.5 D at 0.5 D step.<br><u>Supplying unit should be ISO accredited and IOL should be CE/US FDA certified</u> | Each Piece | CHC |
| 112 | S-88 (a)  | Standard PMMA Intra Ocular Lenses (Size + 11 D to +17.5 D)<br>• 6mm optic size 12.5 - 13.0 mm total diameter, Biconvex<br>1. PMMA optics and haptics single piece with hole<br>2. 6mm optic size 12.5 to 13mm total diameter, Biconvex<br>3. IOL haptics – modified C shaped with 5° -10° anterior angulation.<br>4. Should have 360° square edges.<br>5. IOL should have UV blocking capability<br>6. Diopters- + 11 D to +17.5 D at 0.5 D step.<br>7. Supplying unit should be ISO accredited and IOL should be CE/US FDA certified.  | Each Piece | CHC |
| 113 | S-88 (b)  | Standard PMMA Intra Ocular Lenses (Size + 18 D to + 24 D)<br>• 6mm optic size 12.5 - 13.0 mm total diameter, Biconvex<br>1. PMMA optics and haptics single piece with hole<br>2. 6mm optic size 12.5 to 13mm total diameter, Biconvex<br>3. IOL haptics – modified C shaped with 5° -10° anterior angulation.<br>4. Should have 360° square edges.<br>5. IOL should have UV blocking capability<br>6. Diopters- + 18 D to + 24 D at 0.5 D step.<br><u>Supplying unit should be ISO accredited and IOL should be CE/US FDA certified</u>   | Each Piece | CHC |
| 114 | S-88 (c)  | Standard PMMA Intra Ocular Lenses (Size + 24.5 D to + 28.5 D )<br>6mm optic size 12.5 - 13.0 mm total diameter, Biconvex<br>1. PMMA optics and haptics single piece with hole<br>2. 6mm optic size 12.5 to 13mm total diameter, Bioconvex<br>3. IOL haptics – modified C shaped with 5° -10° anterior angulation.<br>4. Should have 360° square edges.<br>5. IOL should have UV blocking capability<br>6. Diopters- + 24.5 D to + 28.5 D at 0.5 D step.<br><u>Supplying unit should be ISO accredited and IOL should be CE/US FDA certified</u>   | Each Piece | CHC |
| 115 | S-89 (a)  | Disposable Sterile Surgical Rubber Gloves Size 8 Inches<br>• made of natural rubber latex powdered,without tear,properly folded in a paper<br>• Should Conform to IS 13422<br>• ISI marked/CE certified/FDA approved<br>• Colour code marking to designate size   | Pair       | PHC |

|     |          |  |                             |            |
|-----|----------|--|-----------------------------|------------|
| 116 | S-89 (b) | Disposable Sterile Surgical Rubber Gloves Size 8 Inches<br>• made of natural rubber latex powder free, without tear, properly folded in a paper<br>• Should Conform to IS 13422<br>• ISI marked/CE certified/FDA approved<br>• Colour code marking to designate size   | Pair                        | PHC        |
| 117 | S-90 (a) | Rubber examination gloves made of natural rubber latex. Non-sterile, Ambidextrous, AQL 1.5 Micro Textured Powdered with absorbable dusting powder USP. Extra Small. should conform to IS 15354   | Dispenser Box of 100 Gloves | PHC        |
| 118 | S-90 (b) | Rubber examination gloves made of natural rubber latex. Non-sterile, Ambidextrous, AQL 1.5 Micro Textured Powdered with absorbable dusting powder USP. Small should conform to IS 15354  | Dispenser Box of 100 Gloves | PHC        |
| 119 | S-90 (c) | Rubber examination gloves made of natural rubber latex. Non-sterile, Ambidextrous, AQL 1.5 Micro Textured Powdered with absorbable dusting powder USP. Medium should conform to IS 15354   | Dispenser Box of 100 Gloves | PHC        |
| 120 | S-90 (d) | Rubber examination gloves made of natural rubber latex. Non-sterile, Ambidextrous, AQL 1.5 Micro Textured Powdered with absorbable dusting powder USP. Large should conform to IS 15354  | Dispenser Box of 100 Gloves | PHC        |
| 121 | S-91     | Pressure Monitoring Line / High Pressure Extension Line<br>• Suitable for high pressure monitoring and for connection between syringe infusion pump and patient  | Each piece in blister pack  | DH         |
| 122 | S-92     | Urine Collecting Bag for new born /Paediatric Urine Collection Bag, capacity 100ml<br>• Should have suitability for both male and female patients<br>• Should be provided with adhesive for fixation and good grip with minimal risk of allergy and injury<br>• Capacity 100 ml<br>• Sterile   | Each Piece                  | PHC        |
| 123 | S-93     | Umbilical Catheter (for New Born) All sizes<br>• Radio opaque line<br>• With female flexible mount<br>• Colour coded connector<br>• Open tip should be soft, rounded, atraumatic<br>• Length 40 cm   | Each Piece                  | PHC        |
| 124 | S-94     | Umbilical Cord Clamp<br>• Suitable for clamping umbilical cord of new born<br>• Security lock to prevent accidental opening after clamping<br>• Grooved clamping area  | Each Piece                  | Sub Center |
| 125 | S-95     | Absorbable Oxidized Regenerated Cellulose net size 2"x 3" with surgical sponge<br>Topical Absorbable Haemostatic<br>Bactericidal Property  | Each Piece                  | DH         |
| 126 | S-96 (a) | Close wound Drainage Device under negative pressure (Closed Wound Suction Unit)<br>• Option to use one or two catheters simultaneously<br>• Bellow chamber with capacity 800 ml  | Each Piece                  | DH         |
| 127 | S-96 (b) | Close wound Drainage Device under negative pressure (Closed Wound Suction Unit)<br>• Option to use one or two catheters simultaneously<br>• Bellow chamber with capacity 800 ml<br>• Bellow unit with connector<br>• Graduated Bellow<br>• Connecting tube with clamp and "Y" connector<br>• Curved needle / trocar with catheter<br>• Multiperforated catheter / Radon drain with radio opaque line<br>• Catheter 18 FG | Each Piece                  | DH         |

| 128  | S-98      | Bone cement with antibiotics, fast and slow setting  | 40 g Pack         | DH    |            |           |       |          |           |         |                    |            |
|--|-----------|--|-------------------|-------|------------|-----------|-------|----------|-----------|---------|--------------------|------------|
| General Specification for S-99 (a) and S-99(b) |           |  |                   |       |            |           |       |          |           |         |                    |            |
| 129  | S-99 (a)  | <p>Sanitary Napkin, Beltless</p> <p>1. Covering – Covering of the absorbent filler shall be good quality knitted sleeve or non-woven fabric which has sufficient porosity to permit the assembled napkin to meet the absorbency requirements. The napkins shall have a non absorbent barrier on one side which shall have an identifying mark indicating the side of the barrier.</p> <p>2. Absorbent Filler – The filler material shall consist of cellulose pulp/ wadding, and shall be free from lumps, oil spots, dirt or foreign material, etc.</p> <p>3. Back Strip – A back strip for sticking the sanitary napkin onto the underwear should be there using good quality adhesive material.</p> <p>4. Size - The size of absorbent section / complete sanitary napkin shall be as follows: ( in mm)</p> <table> <thead> <tr> <th>Absorbent section</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>Pad Length</td> <td>210 +_ 10</td> </tr> <tr> <td>Width</td> <td>60 to 75</td> </tr> <tr> <td>Thickness</td> <td>8 +_ 2</td> </tr> </tbody> </table> <p>5. Weight : Not more than 10 gm . . Instruction for usage should be mentioned on every packet</p>  | Absorbent section | Total | Pad Length | 210 +_ 10 | Width | 60 to 75 | Thickness | 8 +_ 2  | 6 Napkins per pack | Sub Center |
| Absorbent section                              | Total     |  |                   |       |            |           |       |          |           |         |                    |            |
| Pad Length                                     | 210 +_ 10 |  |                   |       |            |           |       |          |           |         |                    |            |
| Width  | 60 to 75  |  |                   |       |            |           |       |          |           |         |                    |            |
| Thickness                                      | 8 +_ 2    |  |                   |       |            |           |       |          |           |         |                    |            |
| 130  | S-99 (b)  | <p>Sanitary Napkin, Beltpye</p> <p>1. Covering – Covering of the absorbent filler shall be good quality knitted sleeve or non-woven fabric which has sufficient porosity to permit the assembled napkin to meet the absorbency requirements. The napkins shall have a non absorbent barrier on one side which shall have an identifying mark indicating the side of the barrier.</p> <p>2. Absorbent Filler – The filler material shall consist of cellulose pulp/ wadding, and shall be free from lumps, oil spots, dirt or foreign material, etc</p> <p>3. Size - The size of absorbent section / complete sanitary napkin shall be as follows: ( in mm)</p> <table> <thead> <tr> <th>Absorbent section</th> <th></th> </tr> </thead> <tbody> <tr> <td>Pad Length</td> <td>220 +_ 10</td> </tr> <tr> <td>Width</td> <td>70 +_ 5</td> </tr> <tr> <td>Thickness</td> <td>17 +_ 3</td> </tr> </tbody> </table> <p>4. Weight : 12 +_ 3 gm</p> <p>5. Pack – Six napkins in a pack.</p> <p>6. Elastic Belt with loops shall be provided in each pack.</p> <p>7. Absorbency: The napkin should be able to absorb not less than 30 ml of normal saline or coloured water or test fluid when poured on to the centre of the napkin at the rate of 15 ml per minute. .Instruction for usage should be mentioned on every packet.</p> | Absorbent section |       | Pad Length | 220 +_ 10 | Width | 70 +_ 5  | Thickness | 17 +_ 3 | 6 Napkins per pack | Sub Center |
| Absorbent section                              |           |  |                   |       |            |           |       |          |           |         |                    |            |
| Pad Length                                     | 220 +_ 10 |  |                   |       |            |           |       |          |           |         |                    |            |
| Width  | 70 +_ 5   |  |                   |       |            |           |       |          |           |         |                    |            |
| Thickness                                      | 17 +_ 3   |  |                   |       |            |           |       |          |           |         |                    |            |

|     |          |   |                    |            |
|-----|----------|---|--------------------|------------|
|     |          | Belt-less Sanitary Napkin with wings<br>1. Covering (Absorbing top sheet corrector)–Good Quality knitted sleeve or non woven fabric of rash free,non irritant and soft to touch material which has sufficient porosity to permit the assembled napkin to meet absorbency requirements.The napkins shall have a non absorbent barrier on one side with adhesive covered by a differently identifiable paper<br>2.Overall Length (mm) 230 ± 5<br>3.Core length 220 mm± 10<br>4.Fluff core/pad length 220 mm± 10<br>5. Over all width with wings 160mm+_5<br>6.Fluff core/pad length 70 mm± 5<br>7.Thickness of a single pad 9-10mm<br>8. Weight of a single pad : 8-10 gm<br>9. Pack Six napkins in a pack.<br>10Type.- Belt-less Sanitary Napkin with wings<br>11. Minimum Absorbency: 50ml<br>12.pH value of absorbent material 6-8.5<br>B. DISPOSABLE Individual pouch or wrapper for each sanitary napkin(as per ministry of environment,forest and climate change dated 08.04.2016)<br>Pouch/Wrapper Specifications :-<br>1. Pouch/Wrapper should be of the size of sanitary napkin being supplied.<br>2. It should have adhesive to seal the sanitary napkins within.<br>3. Pouch/Wrapper should not be transparent.<br>Note : Instructions for use of disposable pouch(wrapper must be written in Hindi on | 6 Napkins per pack | Sub Center |
| 131 | S-99 (P) | Oxygen mask (Adult)<br>• Mould Facemask with adjustable elastic strap for proper position of mask on the mouth and nasal area<br>• Friendly soft medical PVC material with comfortable fitting.<br>• Aluminium nasal clip provides better fixation.<br>• Anatomical design provides lighter seal.<br>• Latex free elastic strap available   | Unit               | PHC        |
| 132 | S-100    | Oxygen mask (Paediatric)<br>• Mould Facemask with adjustable elastic strap for proper position of mask on the mouth and nasal area<br>• Friendly soft medical PVC material with comfortable fitting.<br>• Aluminium nasal clip provides better fixation.<br>• Anatomical design provides lighter seal.<br>• Latex free elastic strap available<br>• Mask connector 4M   | Unit               | PHC        |
| 133 | S-101    | Sterile Catheter, single Use, for Urinary Drainage(Foley Balloon Catheter), 2 way, Size 14<br>• Made of Silicone elastomer bonded with Latex<br>• Should have hard plastic valve<br>• Smooth distal end with smooth eyes for a traumatic intubation<br>• Symmetrical Foley Balloon<br>• Balloon Capacity 30+- 1 ml<br>• Should conform to IS 11497<br>• Color coding marking to identify size<br>• Length, wall thickness and balloon capacity should be mentioned as per IS 11497<br>• Specification for B,C,D,E,F,G should be mentioned as per IS 11497   | Each Piece         | PHC        |
| 134 | S-102    | Nelaton - Catheter size 14 FG<br>Distal end is close and proximal end has female colour code connector<br>• Soft, Kink resistant medical grade PVC tube<br>• Length:40 cm<br>• Individually packed in poly and sterile  | Each Piece         | PHC        |
| 135 | S-103    | ECG Electrode<br>•Reliable trace, •High conductivity,• Easy to handle   | Each Piece         | CHC        |
| 136 | S-104    | Surgical Blade Sterile, Size 23<br>• Single peel pack in metal foil<br>• The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. The surfaces of the blade shall be smooth and free from tool marks and any sign of corrosion.<br>• Should conform to IS 3319   | Each Piece         | CHC        |

|     |       |  |            |     |
|-----|-------|--|------------|-----|
| 138 | S-106 | Sterile Hypodermic Syringe with Needle attached, 22G, Single Use - 50 ml<br><ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container.</li> </ul> | Each Piece | CHC |
| 139 | S-107 | Urethral Catheter 90 (FG-14), made up of medical grade PVC   | Each Piece | PHC |
| 140 | S-108 | Urethral Catheter 91 (FG-10), made up of medical grade PVC   | Each Piece | CHC |
| 141 | S-109 | Vacuum Suction Set, 2.5 meter Length,<br><ul style="list-style-type: none"> <li>•Suction handle with Suction Tube</li> <li>•Sterile, •Pyrogenic Free, •Latex free, •Single use</li> </ul>  | Each Piece | CHC |
| 142 | S-110 | Epidural Minipack 18G, 90 mm, Metal Stylet For Single Use only, •Sterile,<br><ul style="list-style-type: none"> <li>•Epidural catheter 20G, L 90 cm,</li> <li>•6 Lateral Holes closed end,</li> <li>•Borst Adapter</li> <li>•Epidural Catheter Flat filter 0.2 micro meter</li> <li>•Thread Assist Guide•LOR (Loss of resistance) Plastic Syringe 6 ml</li> </ul>  | Each Piece | MCH |
| 143 | S-111 | Vascular Catheter with metal Guide No. 16, Double Lumen Size 30 cm (Longline IV.)  | Each Piece | MCH |
| 144 | S-112 | Vascular Catheter with metal Guide No. 18 Double Lumen Size 30 cm (Longline IV.)   | Each Piece | MCH |
| 145 | S-113 | Vascular Catheter with metal Guide No. 20 Double Lumen Size 30 cm (Longline IV.)   | Each Piece | MCH |
| 146 | S-114 | Vascular Catheter with metal Guide No. 22 Double Lumen Size 30 cm (Longline IV.)   | Each Piece | MCH |
| 147 | S-115 | Vascular Catheter with metal Guide No. 16 Double Lumen Size 45 cm (Longline IV.)   | Each Piece | MCH |
| 148 | S-116 | Vascular Catheter with metal Guide No. 18 Double Lumen Size 45 cm (Longline IV.)   | Each Piece | MCH |
| 149 | S-117 | Vascular Catheter with metal Guide No. 20 Double Lumen Size 45 cm (Longline IV.)   | Each Piece | MCH |
| 150 | S-118 | Vascular Catheter with metal Guide No. 22 Double Lumen Size 45 cm (Longline IV.)   | Each Piece | MCH |
| 151 | S-119 | 3 Way Stop Cock , Non Pyrogenic & Single Use, should be leak proof, with smooth movements  | Each Piece | DH  |
| 152 | S-120 | 3 Way Stop Cock with extension Tube (Vein -O-Line) size 10 cm (Non Pyrogenic & Single Use)   | Each Piece | DH  |
| 153 | S-121 | 3 Way Stop Cock with extension Tube (Vein -O-Line) size 50 cm (Non Pyrogenic & Single Use)   | Each Piece | DH  |
| 154 | S-122 | 3 Way Stop Cock with extension Tube (Vein -O-Line) size 100 cm (Non Pyrogenic & Single Use)  | Each Piece | DH  |
| 155 | S-123 | 3 Way Stop Cock with extension Tube (Vein -O-Line) size 150 cm (Non Pyrogenic & Single Use)  | Each Piece | DH  |
| 156 | S-124 | Abdominal Drain Kit, Sterile, having drainage catheter and Collection Bag (2000 ml) (size 16)<br><ul style="list-style-type: none"> <li>• Graduated Bag,</li> <li>• Should have well fitting cap</li> <li>• Soft drainage catheter 50 cm long, with radio opaque line</li> <li>• Rounded open distal end with smoothatraumatic eyes in catheter</li> <li>• Catheter with markings at 2 cm interval</li> </ul>  | Each Piece | DH  |
| 157 | S-125 | Abdominal Drain Kit, Sterile, having drainage catheter and Collection Bag (2000 ml) (size 20)<br><ul style="list-style-type: none"> <li>• Graduated Bag</li> <li>• Should have well fitting cap</li> <li>• Soft drainage catheter 50 cm long, with radio opaque line</li> <li>• Rounded open distal end with smoothatraumatic eyes in catheter</li> <li>• Catheter with markings at 2 cm interval</li> </ul>   | Each Piece | DH  |
| 158 | S-126 | Nasal Pronge Neonatal (Flexible Medical Grade, 2 Meter Long, Multichannel Kink Resistance Tube   | Each Piece | CHC |
| 159 | S-127 | Elastic Adhesive Bandage BP 1m x 10cm<br><u>Adhesive material should have good quality sticking property, non-allergic</u>   | Each Piece | PHC |
| 160 | S-128 | Sterile Disposable (Single Use Teflon/PTFE I.V Cannula with integrated 3 way stop cock Size 26G<br><ul style="list-style-type: none"> <li>• Should be packed in transparent single blister pack</li> <li>• Should confirm to IS 10555 standard</li> <li>• (Neonatal IV Cannula Size 26)</li> </ul>   | Each Piece | DH  |

|     |            |   |                    |            |
|-----|------------|---|--------------------|------------|
| 161 | S-129      | NIV Mask (Noninvasive Ventilation Mask) Adult<br><ul style="list-style-type: none"> <li>· Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads for adults in Large size.</li> <li>· Should be with ergonomically designed clips/straps for easy disengagement of the head gear.</li> <li>· Should be Single Use for Ventilator without vent</li> <li>· Non allergic leak proof contour should be maintained</li> </ul>  | Each Piece         | DH         |
| 162 | S-130      | NIV Mask (Noninvasive Ventilation Mask) Adult<br><ul style="list-style-type: none"> <li>· Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads for adults in Medium size.</li> <li>· Should be with ergonomically designed clips/straps for easy disengagement of the head gear.</li> <li>· Should be Single Use for Ventilator without vent</li> <li>· Non allergic leak proof contour should be maintained</li> </ul>   | Each Piece         | DH         |
| 163 | S-131      | NIV Mask (Noninvasive Ventilation Mask) Adult<br><ul style="list-style-type: none"> <li>· Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads for adults in Large size.</li> <li>· Should be with ergonomically designed clips/straps for easy disengagement of the head gear.</li> <li>· Should be Single Use for BiPAP with vent</li> <li>· Non allergic leak proof contour should be maintained</li> </ul>  | Each Piece         | PHC        |
| 164 | S-132      | NIV Mask (Noninvasive Ventilation Mask) Adult<br><ul style="list-style-type: none"> <li>· Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads for adults in Medium size.</li> <li>· Should be with ergonomically designed clips/straps for easy disengagement of the head gear.</li> <li>· Should be Single Use for BiPAP with vent</li> <li>· Non allergic leak proof contour should be maintained</li> </ul>   | Each Piece         | DH         |
| 165 | S-133      | NIV Mask (Noninvasive Ventilation Mask) Paediatric<br><ul style="list-style-type: none"> <li>· Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads in Small size.</li> <li>· Should be with ergonomically designed clips/straps for easy disengagement of the head gear</li> <li>· Should be Single Use with Bronchoscopy and CO2 &amp; O2 port with chin support</li> <li>· Non allergic leak proof contour should be maintained</li> </ul>   | Each Piece         | DH         |
| 166 | S-134      | Nebulization Mask Adult   | Each Piece         | PHC        |
| 167 | S-135      | Nebulization Mask Paediatric  | Each Piece         | PHC        |
| 168 | S-136      | Chemotherapy Port &Non-coring needles(Adult)<br><ul style="list-style-type: none"> <li>· Valved catheter need only saline flush, catheter with intermediate size port with small septum and silicon filled suture holes, should be MRI compatible with cathlock radio-opaque ring. 8FR with silicon material with peel apart percutaneous introducer system.</li> <li>· Chemo port huber needle 20g and 22g.</li> </ul>   | Each Piece         | MCH        |
| 169 | S-137      | Chemotherapy Port &Non-coring needles(Pediatric)<br><ul style="list-style-type: none"> <li>· Valved catheter need only saline flush, catheter with intermediate size power port with large septum and silicon filled suture holes, should be MRI compatible with cathlock radio-opaque ring. 6FR with silicon material with peel apart percutaneous introducer system</li> <li>· Chemo port huber needle 20g and 22g.</li> </ul>  | Each Piece         | MCH        |
| 170 | S-138      | Core biopsy Instrument with compatible co-axial needle (Automatic disposable)   | Each Piece         | MCH        |
| 171 | S-139      | Bone marrow Biospy Needle   | Each Piece         | MCH        |
| 172 | S-140      | Eyelid Occlusion dressings use for Eyelid   | Each Piece         | DH         |
| 173 | S-141      | Eye Pressure shield   | Each Piece         | DH         |
| 174 | S-99 (P) 2 | SANITARY NAPKIN MEDIUM SIZE<br>(Belt-less Sanitary Napkin with wings/6 pieces per pkt)<br>Overall length (mm)- 280±5<br>Core Length-265 mm ± 10<br>Pad length-265 mm ± 10 (thin pads)<br>Overall width with wings-160 mm ± 5<br>Sap Sheet/pad width-70 mm ± 5<br>Thickness of Single Pad-2-3 mm (thin pads)<br>Weight of single pad (gm)- 7-8 gm<br>Minimum Absorbency (ml)- 80ml<br>PH value of absorbent material-6-8.5<br>इस्तेताल किये हुये सेनेटरी नेप्किन को मोड कर Disposable Pouch/Wrapper में डाले एवं Disposable Pouch/Wrapper को गोंद लगी पट्टी से बन्द कर सुरक्षित तरीके से कूड़ेदान में डालें। | 6 napkins per pack | Sub Center |

### List of Sutures

| S.N | Code No. | Name of approved item (s) with specification | Size | Packing Unit |  |
|-----|----------|--|------|--------------|--|
|-----|----------|--|------|--------------|--|

| 1  | R-1  | Absorbable Surgical Suture (Sterile Catgut),BP/USP Needled Suture Chromic (3/8 Cir RB<br>Needle 40mm Length 76 cm)   | 1/0 | 12 Foils | <b>Category</b> |
|----|------|--|-----|----------|-----------------|
| 2  | R-2  | Absorbable Surgical Suture (Sterile Catgut),BP/USP Needled Suture Chromic (1/2 Cir RB<br>Needle 20mm Length 76 cm)   | 3/0 | 12 Foils | PHC             |
| 3  | R-3  | Absorbable Surgical Suture (Sterile Catgut),BP/USP Needled Suture Chromic (1/2 Cir RB<br>Needle 30mm Length 76 cm)   | 2/0 | 12 Foils | PHC             |
| 4  | R-4  | Absorbable Surgical Suture (Sterile Catgut), BP/USP Needled Suture Chromic (1/2 Cir RB<br>Needle 30mm Length 76 cm)  | 1/0 | 12 Foils | PHC             |
| 5  | R-5  | Absorbable Surgical Suture (Sterile Catgut), BP/USP Needled Suture Chromic (1/2 Cir RB<br>Needle 40mm Length 76 cm)  | 1/0 | 12 Foils | PHC             |
| 6  | R-6  | Absorbable Surgical Suture (Sterile Catgut), BP/USP Needled Suture Chromic (3/8 RB Needle<br>30mm Length 76 cm)  | 2/0 | 12 Foils | CHC             |
| 7  | R-7  | Absorbable Surgical Suture (Sterile Catgut),BP/USP Needled Suture Chromic (1/2 Cir RB<br>Needle 45 mm Length 100 cm)   | 1   | 12 Foils | PHC             |
| 8  | R-8  | Absorbable Surgical Suture (Sterile Catgut), Needled Suture Chromic (3/8 Cir RCutting Needle<br>26mm, Length 76 cm)  | 3/0 | 12 Foils | PHC             |
| 9  | R-9  | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) ½ Cir RB Needle 20mm length<br>70 cm                       | 3/0 | 12 Foils | MC              |
| 10 | R-10 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) 1/2 Cir RB Needle 30mm length<br>90 cm                     | 2/0 | 12 Foils | CHC             |
| 11 | R-11 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) 1/2 Cir RB Needle 30mm<br>length75- 90 cm                  | 1/0 | 12 Foils | CHC             |
| 12 | R-12 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) 1/2 Cir Tapercut Needle (Heavy)<br>35-40mm length 75-90 cm | 1   | 12 Foils | CHC             |
| 13 | R-13 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) ½ Cir RB Needle40mm length 90<br>cm                        | 1   | 12 Foils | DH              |
| 14 | R-14 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) (1/2 Cir Conventional 25mm<br>length 90 cm)Undyed          | 3/0 | 12 Foils | CHC             |
| 15 | R-15 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) (1/2 Cir RB Needle 20mm length<br>70 cm)                   | 4/0 | 12 Foils | DH              |
| 16 | R-16 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide ) (1/2 Cir RB needle 40mm<br>Length 90 cm                   | 2/0 | 12 Foils | DH              |
| 17 | R-17 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) (1/2 Cir RB Needle 40mm length<br>90 cm)                   | 1/0 | 12 Foils | CHC             |
| 18 | R-18 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) 3/8 Circle Cutting Needle 22mm<br>length 45 cm             | 3/0 | 12 Foils | CHC             |
| 19 | R-19 | Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated<br>Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) 3/8 Circle Cutting 16mm Needle,<br>Suture Length 70cm      | 4/0 | 12 Foils | CHC             |
| 20 | R-20 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE<br>BLACK BRAIDED SILK (1/2 Cir RB Needle 20mm, Length 76 cm)  | 3/0 | 12 Foils | CHC             |
| 21 | R-21 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE<br>BLACK BRAIDED SILK (3/8Cir Reverse Cutting Needle 26mm, Length 76 cm)  | 3/0 | 12 Foils | PHC             |
| 22 | R-22 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE<br>BLACK BRAIDED Silk (3/8Cir Reverse Cutting Needle 45mm, Length 76 cm)  | 2/0 | 12 Foils | PHC             |
| 23 | R-23 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED<br>SUTUREPOLY AMIDE MONOFILAMENT BLACK (NYLON) (3/8 Cir Micropoint Round<br>Body ,6mm Length 38 cm)  | 8/0 | 12 Foils | CHC             |
| 24 | R-24 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE<br>POLYAMIDE MONOFILAMENT BLACK (NYLON) (3/8 Conventional Cutting needle 16<br>mm length 70 cm)   | 3/0 | 12 Foils | CHC             |
| 25 | R-25 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE<br>POLYAMIDE MONOFILAMENT BLACK (NYLON) (3/8 Conventional Cutting Needle<br>19mm Length 60 cm.)   | 4/0 | 12 Foils | DH              |
| 26 | R-26 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE<br>POLYAMIDE MONOFILAMENT BLACK (NYLON) (3/8 Cir slim blade Cutting Needle<br>15mm Length 70 cm)  | 5/0 | 12 Foils | MC              |
| 27 | R-27 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE<br>POLYAMIDE MONOFILAMENT BLACK (NYLON) (3/8 Cir R Cutting Needle 40-45mm<br>Length 60-70 cm.)  | 2/0 | 12 Foils | MC              |

|    |      |  |     |          |     |
|----|------|--|-----|----------|-----|
| 28 | R-28 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYAMIDE BLACK (NYLON) (3/8 Cir R Cutting Needle 45mm Length 70 cm.)                            | 1/0 | 12 Foils | CHC |
| 29 | R-29 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir RB 13 mm Needle,Length 75cm) Double Arm                              | 5/0 | 12 Foils | CHC |
| 30 | R-30 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (3/8Cir RB 16mm needle,Length 90 cm)  | 6/0 | 12 Foils | MC  |
| 31 | R-31 | NON ABSORBABLE SURGICAL SUTURE,STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (3/8Cir RB Double 8mm Needle, Length 60 cm)                                    | 7/0 | 12 Foils | MC  |
| 32 | R-32 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (3/8Cir RB 16 mm Needle, Length 70 cm)  | 5/0 | 12 Foils | MC  |
| 33 | R-33 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir RB Needle 30mm Length 90 cm)   | 1/0 | 12 Foils | DH  |
| 34 | R-34 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir RB Heavy Needle <b>40-45mm Length 75-90 cm</b> )                     | 1   | 12 Foils | CHC |
| 35 | R-35 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir tapercut double needle cutting size <b>16-17mm Length 70-90 cm</b> ) | 5/0 | 12 Foils | DH  |
| 36 | R-36 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir Tapercut Double Needle 17mm Length <b>70-90 cm</b> )                 | 4/0 | 12 Foils | MC  |
| 37 | R-37 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir RB Needle 25mm, Length 90 cm) Double Arm                             | 3/0 | 12 Foils | MC  |
| 38 | R-38 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir RB Needle 30mm, Length 90 cm)  | 2/0 | 12 Foils | DH  |
| 39 | R-39 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir Tapercut Needle 17mm Length 75 cm) Double Arm                        | 3/0 | 12 Foils | DH  |
| 40 | R-40 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir Tapercut needle,25 mm Length 90 cm) Double Arm                       | 2/0 | 12 Foils | MC  |
| 41 | R-41 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE USP(3/8 Cir Conventional Cutting PC-3Needle 15mm Length 60cm)                 | 6/0 | 12 Foils | MC  |
| 42 | R-42 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (3/8 Cir RB 13mm Needle, Length 90 cm Double Arm                              | 6/0 | 12 Foils | MC  |
| 43 | R-43 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir RB needle 16 mm Length 70 cm)  | 4/0 | 12 Foils | MC  |
| 44 | R-44 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (3/8 Cir Cutting Needle 25mm length 45 cm)                                    | 3/0 | 12 Foils | MC  |
| 45 | R-45 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir RB Heavy 40mm, length 90 cm)   | 1   | 12 Foils | PHC |
| 46 | R-46 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir Reverse Cutting, 45 mm Needle length 100 cm)                         | 1   | 12 Foils | DH  |
| 47 | R-47 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (3/8 Cir RB , 8mm Double Needle, Suture Length of 70Cm)                       | 8/0 | 12 Foils | MC  |
| 48 | R-48 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Circle Tapercut 13mm Double Needle 70cm)                                 | 4/0 | 12 Foils | MC  |
| 49 | R-49 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Circle CC 13mm Needle, Suture Length of 70cm) DOUBLE ARM                 | 5/0 | 12 Foils | MC  |
| 50 | R-50 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Circle Tapercut Needle 17mm Suture Length of 90cm) Double Arm            | 2/0 | 12 Foils | MC  |
| 51 | R-51 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYPROPYLENE BLUE (1/2 Cir RB Needle 25mm, Suture Length of 75cm) Double Arm                    | 3/0 | 12 Foils | MC  |

|    |      |  |      |          |     |
|----|------|--|------|----------|-----|
| 52 | R-52 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE BRAIDED COATED POLYSTER, GREEN/WHITE or BLUE/WHITE Polybutylate / Silicon Coated Polyester Braided green/ blue (1/2 Cir Tapercut ,17 mm Double Needle, length 75 cm)            | 4/0  | 12 Foils | MC  |
| 53 | R-53 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE BRAIDED COATED POLYSTER, GREEN/WHITE or BLUE/WHITE Polybutylate / Silicon Coated Polyester Braided White (1/2 Cir Tapercut ,17 mm Double Needle, length 90 cm)                  | 2/0  | 12 Foils | MC  |
| 54 | R-54 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE BRAIDED COATED POLYSTER, GREEN/WHITE or BLUE/WHITE Polybutylate / Silicon Coated Polyester Braided Green / Blue (1/2 Cir Tapercut ,17 mm Double Needle, length 90 cm)           | 2/0  | 12 Foils | MC  |
| 55 | R-55 | Non absorbable surgical suture sterilized surgical needled suture Polybutylate / Silicon Coated with Polyester Braided (Green / Blue) 1/2 Circle Taper cut , 17mm Double armed Needle, Suture Length of 90cm with pledges Size 6 X 3 X 1.5mm       | 2/0  | 6 Foils  | MC  |
| 56 | R-56 | Non absorbable surgical suture sterilized surgical needled suture Polybutylate / Silicon Coated with Polyester Braided (Green / Blue) *with 1/2 Circle Taper cut , 25mm Double armed Needle, Suture Length of 90cm with pledges Size 6 X 3 X 1.5mm | 2/0  | 6 Foils  | MC  |
| 57 | R-57 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE BRAIDED COATED POLYSTER, GREEN/WHITE or BLUE/WHITE Coated Polyester Braided (Green / Blue) with 1/2 Circle Tapercut Double Needle 25mm, Suture Length 90 cm                     | 3/0  | 12 Foils | MC  |
| 58 | R-61 | ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE POLYGLYCAPRONE, MONOFILAMENT SUTURES (1/2 Circle Oval RB Needle 26mm Needle, Suture Length of 70cm)   | 2/0  | 12 Foils | MC  |
| 59 | R-62 | ABSORBABLE SURGICAL SUTURES POLYGLYCAPRONE, MONOFILAMENT SUTURES (1/2 Circle Oval RB Contrast Needle 26mm, suture length 70cm)   | 3/0  | 12 Foils | MC  |
| 60 | R-63 | ABSORBABLE SURGICAL SUTURES Monofilament sutures Polyglycaprone /Polyglyconate (1/2 Circle Cutting 16mm Needle,suture length 70cm)   | 4/0  | 12 Foils | MC  |
| 61 | R-64 | ABSORBABLE SURGICAL SUTURES POLYGLYCAPRONE / Polyglyconate, MONOFILAMENT SUTURES (3/8 Circle Cutting 24- 26mm Needle, Suture Length of 70- 90cm)   | 3/0  | 12 Foils | MC  |
| 62 | R-65 | Absorbable Surgical Suture (Synthetic) Sterilised Needled Suture Monofilament Polydioxanone Violet (1/2 Circle Reverse Cutting 40-50 mm Length 70- 90cm)   | 1    | 12 Foils | CHC |
| 63 | R-66 | ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYDIOXANONE Violet (1/2 Circle RB 31mm Needle, Length 70cm)  | 2/0  | 36 Foils | MC  |
| 64 | R-67 | ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE MONOFILAMENT POLYDIOXANONE Violet (1/2 Circle RB 30mm Needle, Length 70cm)  | 1/0  | 12 Foils | MC  |
| 65 | R-68 | Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin/ Polyglycolic Acid violet) 1/2 Circle CT round bodied 40mm, GS needle, suture length 90 cm/                                      | 1    | 12 Foils | CHC |
| 66 | R-69 | Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin/ Polyglycolic Acid violet) 1/2 circle CT round bodied 40mm, GS needle, suture length 90 cm                                       | 1/0  | 12 Foils | PHC |
| 67 | R-70 | Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin / Polyglycolic Acid violet) 1/2 circle round bodied 30mm, suture length 90 cm/   | 2/0  | 12 Foils | PHC |
| 68 | R-71 | Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin/ Polyglycolic Acid violet) 1/2 circle Reverse Cutting, OS 40mm, suture length 90 cm  | 1    | 12 Foils | PHC |
| 69 | R-72 | Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin / Polyglycolic Acid violet) 1/2 circle Reverse Cutting 36mm, OS needle, suture length 90 cm/                                     | 1/0  | 12 Foils | PHC |
| 70 | R-73 | Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin / Polyglycolic Acid violet) 1/2 circle round bodied 20mm, suture length 70 cm  | 3/0  | 12 Foils | PHC |
| 71 | R-74 | Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin/ Polyglycolic Acid violet) 3/8 circle R Cutting, PS-1,24mm, suture length 70 cm  | 3/0  | 12 Foils | PHC |
| 72 | R-75 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE POLYAMIDE MONOFILAMENT BLACK (NYLON) (3/8 Cutting spatulated Edge Needle, Double arm Needle 6 mm, Suture length 30-42 cm  | 10/0 | 12 Foils | PHC |
| 73 | R-76 | Absorbable Surgical Suture (Sterile Catgut), Needled Suture Chromic (3/8 Cir RCutting Needle 16mm, Length 76 cm)   | 5/0  | 12 Foils | MC  |
| 74 | R-77 | Absorbable Surgical Suture (Sterile Catgut), Needled Suture Chromic (3/8 Cir Cutting Needle 8mm, Length 35 cm)   | 6/0  | 12 Foils | CHC |

|    |      |  |     |          |     |
|----|------|--|-----|----------|-----|
| 75 | R-78 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE<br>BLACK BRAIDED SILK WITH NEEDLE Silk (3/8 Cir RB Needle 20mm, Length 76 cm)                           | 4/0 | 12 Foils | CHC |
| 76 | R-79 | NON ABSORBABLE SURGICAL SUTURE, STERILISED SURGICAL NEEDLED SUTURE<br>BLACK BRAIDED SILK WITH NEEDLE Silk (3/8 Cir RB Needle 16mm, Length 76 cm)                           | 5/0 | 12 Foils | CHC |
| 77 | R-80 | Absorbable Surgical Suture (Sterile Catgut), Needled Suture Chromic (3/8 Cir RCutting Needle<br>19mm Length 76 cm)   | 4/0 | 12 Foils | CHC |
| 78 | R-81 | Absorbable Surgical Suture, Sterilised Surgical Needled Suture Polyglyconate,<br>Monofilament Sutures (1/2 Circle Oval RB Needle 26-30mm Needle, Suture Length of<br>70cm) | 2/0 | 12 Foils | CHC |
| 79 | R-82 | Absorbable Surgical Suture Polyglyconate, Monofilament Sutures (1/2 Circle Oval RB<br>Contrast Needle 20-26mm, suture length 70cm)   | 3/0 | 12 Foils | MCH |
|    |      |  |     |          | MCH |































































